



Fastener #4  
 $\frac{1}{4}$ -14 x  $\frac{7}{8}$ " LL SD W/Washer  
 At 6" O.C.

Tri-Bead Sealant  $\frac{3}{16}$ " x  $\frac{7}{8}$ "  
 [HW-504] Top, Bottom And  
 Ends Of Closure

Outside Closure [HW-440]

Curved BattenLok Panel

$\frac{3}{8}$ "  
 Radius

Vapor Barrier  
 (Not By MBCI)

Metal Deck  
 (Not By MBCI)

Rigid Insulation  
 (Not By MBCI)  
 Structural Angle  
 (Not By MBCI)

O/O Dimension  
 (See Plan)

Urethane Sealant [HW-540] At  
 Closure Ends/Panel Rib And  
 Lapping Closure Tabs To Seal  
 All Voids

Fastener #17  
 12-14 x 1" SD W/Washer  
 (1) Per Panel Rib

Fastener #17  
 12-14 x 1" SD W/Washer  
 (5) Per Panel

14 Ga. Bent Plate

Peak Cap [T-5080]

Fastener #14  
 $\frac{1}{8}$ "  $\phi$  x  $\frac{3}{16}$ " Pop Rivet  
 SS At 1'-0" O.C.

Outside Closure

Fastener #16  
 12-24 x  $1\frac{1}{2}$ " Pan Head  
 Tek 4.5 Self Driller  
 At 1'-0" O.C.

Fastener #78  
 12-24 x  $1\frac{1}{4}$ " Long Life  
 Tek 4.5 Self Driller W/  
 Washer

Wall Panel