



# Architectural Pricing Guide





## Panels

LokSeam® Series	2
Craftsman™ Series	4
Classic®	8
ShadowRib™	9
MasterLine 16® Series	10
NuWall®	11
Designer™ Series	12
FW-120	13
Artisan®	14
FlexLoc®	15
QwikLok™	16

## Accessories

LiteFrame	17
Flat Sheets	19
Batten Caps and Couplers	21
Transition Fillers	21
Rib Covers	22
Clips	22
Bearing Plates, Angles and Rake Support	24
Support Plates	25
Back-Up Plates	27
Tape Sealer	27
Tube Sealant	28
Vent Material	28
Reflective Insulation	28
Closures	29
Panel Hemming Tool	31
Touch-up Paint	31


## Trim

Roofing, Facade and Non-Load Bearing Walls	32
MasterLine 16®	49
ShadowRib™	53
NuWall®	57
Designer™	60
FlexLoc®	62
FW 120	63






### LokSeam® Series 12"



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
26	12"	50,000	124#	Galvalume Plus® ☒	Please Inquire
26	12"	50,000	124#	Signature® 200 *	Please Inquire
24	12"	50,000	154#	Galvalume Plus® ☒	Please Inquire
24	12"	50,000	146#	Signature® 200	✓ †
24	12"	50,000	146#	Signature® 300 *	✓ †
24	12"	50,000	154#	Signature® 300 Metallic *	Please Inquire
22	12"	50,000	193#	Galvalume Plus® ☒	Please Inquire
22	12"	50,000	193#	Signature® 200 *	Please Inquire
22	12"	50,000	193#	Signature® 300 *	Please Inquire
22	12"	50,000	193#	Signature® 300 Metallic *	Please Inquire

### LokSeam® Series 16"



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
24	16"	50,000	134#	Galvalume Plus® ☒	✓
24	16"	50,000	134#	Signature® 200 *	✓
24	16"	50,000	134#	Signature® 300 *	✓
24	16"	50,000	146#	Signature® 300 Metallic *	Please Inquire
22	16"	50,000	171#	Galvalume Plus® ☒	✓
22	16"	50,000	171#	Signature® 200 *	✓
22	16"	50,000	171#	Signature® 300 *	✓
22	16"	50,000	171#	Signature® 300 Metallic *	✓


\*See Architectural Color Chart for available colors

† Minimum quantities may be required for some colors. Please inquire.

☒ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

**IMPORTANT NOTICE TO INSTALLER/CUSTOMER:** Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

## LokSeam® Series 18"



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
24	18"	50,000	130#	Galvalume Plus® ☐	✓
24	18"	50,000	130#	Signature® 200 *	✓
24	18"	50,000	130#	Signature® 300 *	✓
24	18"	50,000	146#	Signature® 300 Metallic *	Please Inquire
22	18"	50,000	184#	Galvalume Plus® ☐	Please Inquire
22	18"	50,000	184#	Signature® 200 *	Please Inquire
22	18"	50,000	184#	Signature® 300 *	Please Inquire
22	18"	50,000	184#	Signature® 300 Metallic *	Please Inquire

\* See Architectural Color Chart for available colors

† Minimum quantities may be required for some colors. Please inquire.

☐ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

**Consult the LOKSEAM® DESIGN AND INSTALLATION MANUAL for proper product application, design details and other product information.**

#### Panel Pricing:

1. All pricing is based on net coverage and include standard packaging.
2. Minimum quantities may be required for certain panel gauges and/or colors. Please Inquire.
3. For short panel lengths, add: \$3.70 per panel for panels 4'-0" in length and shorter.
4. Panels must be specified as: "Striated", or "Non-Striated". No charge for Striations.
5. Add \$8.00 per square for embossing.
6. Panels may be specified as: "Notched" for folding hem at eave. Add 3 inches to panel length. Notching charge \$1.10 per panel. If notching is requested, panels will be notched 1 1/2" at both ends. **Note: Notching is only available for Blank Panels.**
7. Panels must be specified as "blank" (no endlaps), "eave", "mid", or "peak" (when endlaps are required).
8. For panels with swaged ends (required at endlaps), add \$5.15 per panel. **Panels less than 4'-0" can not be swaged.**
9. See Page 30 for clip selection.
10. Panel price includes mastic. For panels without mastic in the sidelap, deduct:  
 \$4.20 per square for 18" wide panels.  
 \$4.75 per square for 16" wide panels.  
 \$6.30 per square for 12" wide panels.

#### Packaging Cost:

1. Standard packaging: Block and band with strippable film on female rib of painted panels. Galvalume Plus panels will have microfoam interleaving.
2. Optional interleaving: Microfoam interleaving: available at \$0.10 per square foot.
3. LTL shipments require plywood crating with microfoam interleaving.
4. Plywood crating with strippable film on panels .....\$17.05/lf of bundle - \$200.00 minimum.
5. Special packaging .....Please inquire

#### Delivery:

1. 24 gauge - stocked colors .....Contact your local Customer Service Representative for lead times.
2. 26 gauge not available for 16" or 18" wide panels.
3. Other gauges, colors and metals .....Contact your local Customer Service Representative for lead times.

#### Notes:

1. All panel lengths over 40'-0" .....Please inquire
2. **Striations are recommended on 18", 16" and 12" panels; standard will include light striations. If non-striated panels are required, customer must specify in writing on order and sign Striation Waiver to Production.**
3. **Heavier gauges, narrower widths, striations and embossing may minimize oil canning.**
4. **Panel lengths 4'-0" or less do not have factory applied mastic.**

**IMPORTANT NOTICE TO INSTALLER/CUSTOMER:** Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**



## Craftsman™ Series - Small Batten 12"



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
26	12"	50,000	108#	Galvalume Plus® ✕	Please Inquire
26	12"	50,000	108#	Signature® 200 *	Please Inquire
24	12"	50,000	109#	Galvalume Plus® ✕	✓
24	12"	50,000	109#	Signature® 200 *	✓
24	12"	50,000	109#	Signature® 300 *	✓
24	12"	50,000	109#	Signature® 300 Metallic *	✓ Please Inquire
22	12"	50,000	138#	Galvalume Plus® ✕	Please Inquire
22	12"	50,000	138#	Signature® 200 *	Please Inquire
22	12"	50,000	138#	Signature® 300 *	Please Inquire
22	12"	50,000	138#	Signature® 300 Metallic *	Please Inquire

**\* See Architectural Color Chart for available colors**

✕ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

**Consult the CRAFTSMAN™ DESIGN AND INSTALLATION MANUAL for proper product application, design details and other product information.**

**Panel Pricing:**

1. All pricing is based on net coverage.
2. Minimum quantities may be required for certain panel gauges and/or colors. Please Inquire.
3. For short panel lengths, add: \$3.70 per panel for panels 4'-0" in length and shorter.
4. Add \$8.00 per square for embossing.
5. Pricing includes pans only and standard packaging. 24 gauge battens with mastic and clips are sold separately. Pricing does not include clip fasteners. See component accessory prices.

**Packaging Cost:**

1. Standard packaging: Block and band with strippable film on female rib of painted panels. Galvalume Plus panels will have microfoam interleaving.
2. Lengths greater than 20'-0" require plywood crating.
3. LTL shipments require plywood crating.
4. Plywood crating: .....Add \$17.05/lf of bundle - \$200.00 minimum.
5. Special packaging ..... Please inquire

**Delivery:**


1. 26 and 24 gauge stocked colors .....Contact your local Customer Service Representative for lead times.
2. Other gauges, colors and metals.....Contact your local Customer Service Representative for lead times.

**Notes:**

1. 26 gauge panel lengths longer than 10'-0" .....Please inquire
2. 24 and 22 gauge panel lengths over 40'-0" .....Please inquire
3. All panels not installed over a solid substructure ..... Please inquire
4. Batten length will be equal to panel length unless there is a slope change.
5. Slope change: For each slope change add two inches (2") to each batten and one (1) extra clip.
6. **Heavier gauges, narrower widths and embossing may minimize oil canning.**

**IMPORTANT NOTICE TO INSTALLER/CUSTOMER:** Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

## Craftsman™ Series - Small Batten 16½"



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
24	16 ½"	50,000	105#	Galvalume Plus® ✕	✓
24	16 ½"	50,000	105#	Signature® 200 *	✓
24	16 ½"	50,000	105#	Signature® 300 *	✓
24	16 ½"	50,000	105#	Signature® 300 Metallic *	Please Inquire
22	16 ½"	50,000	133#	Galvalume Plus® ✕	Please Inquire
22	16 ½"	50,000	133#	Signature® 200 *	Please Inquire
22	16 ½"	50,000	133#	Signature® 300 *	Please Inquire
22	16 ½"	50,000	133#	Signature® 300 Metallic *	Please Inquire

**\* See Architectural Color Chart for available colors**

✕ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

**Consult the CRAFTSMAN™ DESIGN AND INSTALLATION MANUAL for proper product application, design details and other product information.**

**Panel Pricing:**

1. All pricing is based on net coverage.
2. Minimum quantities may be required for certain panel gauges and/or colors. Please Inquire.
3. For short panel lengths, add: \$3.70 per panel for panels 4'-0" in length and shorter.
4. Add \$8.00 per square for embossing.
5. Pricing includes pans only and standard packaging. 24 gauge battens with mastic and clips are sold separately. Pricing does not include clip fasteners. See component accessory prices.

**Packaging Cost:**

1. Standard packaging: Block and band with strippable film on female rib of painted panels. Galvalume Plus panels will have microfoam interleaving.
2. Lengths greater than 20'-0" require plywood crating.
3. LTL shipments require plywood crating.
4. Plywood crating: .....Add \$17.05/lf of bundle per square - \$200.00 minimum.
5. Special packaging: ..... Please inquire

**Delivery:**


1. 24 gauge stocked colors ..... Contact your local Customer Service Representative for lead times.
2. Other gauges, colors and metals ..... Contact your local Customer Service Representative for lead times.

**Notes:**

1. Lengths longer than 40'-0" ..... Please inquire
2. All panels not installed over a solid substructure ..... Please inquire
3. Batten length will be equal to panel length unless there is a slope change.
4. Slope change: For each slope change add two inches (2") to each batten and one (1) extra clip.
5. **Heavier gauges, narrower widths and embossing may minimize oil canning.**

**IMPORTANT NOTICE TO INSTALLER/CUSTOMER:** Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

## Craftsman™ Series - High Batten 12"



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
26	12"	50,000	98#	Galvalume Plus® ✕	Please Inquire
26	12"	50,000	98#	Signature® 200 *	Please Inquire
24	12"	50,000	124#	Galvalume Plus® ✕	✓
24	12"	50,000	124#	Signature® 200 *	✓
24	12"	50,000	124#	Signature® 300 *	✓
24	12"	50,000	124#	Signature® 300 Metallic *	Please Inquire
22	12"	50,000	157#	Galvalume Plus® ✕	Please Inquire
22	12"	50,000	157#	Signature® 200 *	Please Inquire
22	12"	50,000	157#	Signature® 300 *	Please Inquire
22	12"	50,000	157#	Signature® 300 Metallic *	Please Inquire

## \* See Architectural Color Chart for available colors

✕ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

**Consult the CRAFTSMAN™ DESIGN AND INSTALLATION MANUAL for proper product application, design details and other product information.**

## Panel Pricing:

1. All pricing is based on net coverage.
2. Minimum quantities may be required for certain panel gauges and/or colors. Please Inquire.
3. For short panel lengths, add: \$3.70 per panel for panels 4'-0" in length and shorter.
4. Add \$8.00 per square for embossing.
5. Pricing includes pans only and standard packaging. 24 gauge battens with mastic and clips are sold separately. Pricing does not include clip fasteners. See component accessory prices.

## Packaging Cost:

1. Standard packaging: Block and band with strippable film on female rib of painted panels. Galvalume Plus panels will have microfoam interleaving.
2. Lengths greater than 20'-0" require plywood crating.
3. LTL shipments require plywood crating.
4. Plywood crating: ..... Add \$17.05/lf of bundle - \$200.00 minimum.
5. Special packaging ..... Please inquire

## Delivery:

1. 26 and 24 gauge stocked colors ..... Contact your local Customer Service Representative for lead times.
2. Other gauges, colors and metals ..... Contact your local Customer Service Representative for lead times.


## Notes:

1. 26 gauge panels - lengths longer than - 10'-0" ..... Please inquire
2. 24 and 22 gauge panels lengths longer than 40'-0" Please inquire
3. All panels not installed over a solid substructure ..... Please inquire
4. Batten length will be equal to panel length unless there is a slope change.
5. Slope change: For each slope change add two inches (4") to each batten and one (1) extra clip.
6. **Heavier gauges, narrower widths and embossing may minimize oil canning.**

**IMPORTANT NOTICE TO INSTALLER/CUSTOMER:** Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**



## Craftsman™ Series - High Batten 16½"



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
24	16 ½"	50,000	117#	Galvalume Plus® ✕	✓
24	16 ½"	50,000	117#	Signature® 200 *	✓
24	16 ½"	50,000	117#	Signature® 300 *	✓
24	16 ½"	50,000	117#	Signature® 300 Metallic *	Please Inquire
22	16 ½"	50,000	148#	Galvalume Plus® ✕	Please Inquire
22	16 ½"	50,000	148#	Signature® 200 *	Please Inquire
22	16 ½"	50,000	148#	Signature® 300 *	Please Inquire
22	16 ½"	50,000	148#	Signature® 300 Metallic *	Please Inquire

## \* See Architectural Color Chart for available colors

✕ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

**Consult the CRAFTSMAN™ DESIGN AND INSTALLATION MANUAL for proper product application, design details and other product information.**

## Panel Pricing:

1. All pricing is based on net coverage.
2. Minimum quantities may be required for certain panel gauges and/or colors. Please Inquire.
3. For short panel lengths, add: \$3.70 per panel for panels 4'-0" in length and shorter.
4. Add \$8.00 per square for embossing.
5. Pricing includes pans only and standard packaging. 24 gauge battens with mastic and clips are sold separately. Pricing does not include clip fasteners. See component accessory prices.

## Packaging Cost:

1. Standard packaging: Block and band with strippable film on female rib of painted panels. Galvalume Plus panels will have microfoam interleaving.
2. Lengths greater than 20'-0" require plywood crating.
3. LTL shipments require plywood crating.
4. Plywood crating: .....Add \$17.05/lf of bundle - \$200.00 minimum.
5. Special packaging ..... Please inquire

## Delivery:


1. 24 gauge stocked colors ..... Contact your local Customer Service Representative for lead times.
2. Other gauges, colors and metals ..... Contact your local Customer Service Representative for lead times.

## Notes:

1. Lengths longer than 40'-0" ..... Please inquire
2. All panels not installed over a solid substructure ..... Please inquire
3. Batten length will be equal to panel length unless there is a slope change.
4. Slope change: For each slope change add two inches (4") to each batten and one (1) extra clip.
5. **Heavier gauges, narrower widths and embossing may minimize oil canning.**

**IMPORTANT NOTICE TO INSTALLER/CUSTOMER:** Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

## Classic®



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
24	16"	50,000	146#	Galvalume Plus®	✓
24	16"	50,000	146#	Signature® 200 *	✓
24	16"	50,000	146#	Signature® 300 *	✓
22	16"	50,000	202#	Galvalume Plus®	✓
22	16"	50,000	202#	Signature® 200 *	✓

**\* See Architectural Color Chart for available colors**

□ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

**Consult the ARCHITECTURAL TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.**

**Panel Pricing:**

1. All pricing is based on net coverage.
2. Minimum quantities may be required for certain panel gauges and/or colors. Please Inquire.
3. For short panel lengths, add: \$3.70 per panel for panels 4'-0" in length and shorter.
4. Add \$8.00 per square for embossing.
5. Prices **do not** include standard packaging.

**Packaging Cost:**

1. 22 panels per bundle: Maximum 3000# per bundle.
2. Block and band with strippable film on panels ..... \$1.40/lf of bundle - \$30.00 minimum.
3. Block and band and waterproof paper wrap with strippable film on panels ..... \$2.00/lf of bundle - \$30.00 minimum.
4. LTL Package - Plywood crating with strippable film on panels ..... \$17.05/lf of bundle - \$200.00 minimum.
5. Special packaging ..... Please inquire

**Delivery:**


1. 24 gauge stocked colors ..... Contact your local Customer Service Representative for lead times.
2. Other gauges, colors and metals ..... Contact your local Customer Service Representative for lead times.

**Notes:**

1. The standard Classic® Series panel is painted on the bottom side. Please specify if the panel should be painted on the top side.
2. All panels - lengths longer than 40'-0" ..... Please inquire
3. **Heavier gauges, narrower widths and embossing may minimize oil canning.**

**IMPORTANT NOTICE TO INSTALLER/CUSTOMER:** Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

## ShadowRib™ 16"



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
24	16"	50,000	157#	Galvalume Plus® α	✓
24	16"	50,000	157#	Signature® 200 *	✓
24	16"	50,000	157#	Signature® 300 *	✓
24	16"	50,000	157#	Signature® 300 Metallic *	✓
22	16"	50,000	200#	Galvalume Plus® α	Please Inquire
22	16"	50,000	200#	Signature® 200 *	Please Inquire
22	16"	50,000	200#	Signature® 300 *	Please Inquire
22	16"	50,000	200#	Signature® 300 Metallic *	Please Inquire

**\* See Architectural Color Chart for available colors**

□ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

**Consult the SHADOWRIB™ DESIGN/INSTALLATION MANUAL for proper product application, design details and other product information.**

**Panel Pricing:**

1. All pricing is based on net coverage.
2. Minimum quantities may be required for certain panel gauges and/or colors. Please Inquire.
3. For short panel lengths, add: \$3.70 per panel for panels 4'-0" in length and shorter.
4. Add \$8.00 per square for embossing.
5. Prices **do not** include standard packaging.
6. See pages 32 and 33 for clip selection.

**Packaging Cost:**

1. 18 panels per bundle: Maximum 3000# per bundle.
2. Block and band with strippable film on panels ..... \$1.40/lb of bundle - \$30.00 minimum.
3. Block and band and waterproof paper wrap with strippable film on panels ..... \$2.00/lb of bundle - \$30.00 minimum.
4. LTL Package - Plywood crating with strippable film on panels ..... \$17.05/lb of bundle - \$200.00 minimum.
5. Special packaging ..... Please inquire

**Delivery:**

1. 24 gauge stocked colors ..... Contact your local Customer Service Representative for lead times.
2. Other gauges, colors and metals ..... Contact your local Customer Service Representative for lead times.


**Notes:**

1. All panels - lengths longer than 40'-0" ..... Please inquire
2. **Heavier gauges, narrower widths and embossing may minimize oil canning.**

**IMPORTANT NOTICE TO INSTALLER/CUSTOMER:** Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**



## MasterLine 16®



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
24	16"	50,000	146#	Galvalume Plus®	✓
24	16"	50,000	146#	Signature® 200 *	✓
24	16"	50,000	146#	Signature® 300 *	✓
24	16"	50,000	146#	Signature® 300 Metallic *	✓
22	16"	50,000	186#	Galvalume Plus®	Please Inquire
22	16"	50,000	186#	Signature® 200 *	Please Inquire
22	16"	50,000	186#	Signature® 300 *	Please Inquire
22	16"	50,000	186#	Signature® 300 Metallic *	Please Inquire

**\* See Architectural Color Chart for available colors**

⚠ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

**Consult the MasterLine 16® TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.**

**Panel Pricing:**

1. All pricing is based on net coverage.
2. Minimum quantities may be required for certain panel gauges and/or colors. Please Inquire.
3. For short panel lengths, add: \$3.70 per panel for panels 4'-0" in length and shorter.
4. Add \$8.00 per square for embossing.
5. All prices include standard packaging.
6. All prices include factory mastic. For panels without mastic, deduct \$3.75 per square.

**Packaging Cost:**

1. Standard packaging: Cardboard carton with strippable film across panel flat. 24 panels per box.
2. Optional interleaving: Microfoam interleaving: available at \$.10 per square foot.
3. Lengths greater than 20'-0" require plywood crating.
4. LTL shipments require plywood crating with strippable film on panels.
5. Plywood crating: .....Add \$17.05/lb of bundle - \$200.00 minimum.
6. Special packaging: ..... Please inquire

**Delivery:**


1. 24 gauge - stocked colors ..... Contact your local Customer Service Representative for lead times.
2. Other gauges, colors and metals ..... Contact your local Customer Service Representative for lead times.

**Notes:**

1. Smooth panels - lengths longer than 35'-0" ..... Please inquire
2. Embossed panels - lengths longer than 30'-0" ..... Please inquire
3. **Heavier gauges and embossing may minimize oil canning.**

**IMPORTANT NOTICE TO INSTALLER/CUSTOMER:** Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

## NuWall® 12"



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
24	12"	50,000	179#	Galvalume Plus® ✕	✓
24	12"	50,000	179#	Signature® 200 *	✓ †
24	12"	50,000	179#	Signature® 300 *	✓ †
24	12"	50,000	179#	Signature® 300 Metallic *	Please Inquire
22	12"	50,000	227#	Galvalume Plus® ✕	Please Inquire
22	12"	50,000	227#	Signature® 200 *	Please Inquire
22	12"	50,000	227#	Signature® 300 *	Please Inquire
22	12"	50,000	227#	Signature® 300 Metallic *	Please Inquire

\* See Architectural Color Chart for available colors

† Minimum quantities may be required for some colors. Please inquire.

✕ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

**Consult the NUWALL® TECHNICAL/PRODUCT MANUAL for proper product application, design details and other product information.**

#### Panel Pricing:

1. All pricing is based on net coverage.
2. For short panel lengths, add: \$3.70 per panel for panels 4'-0" in length and shorter.
3. Add \$8.00 per square for embossing.
4. All prices include standard packaging.

#### Packaging Cost:

1. Standard packaging: Cardboard carton with strippable film across panel flat.
2. Lengths greater than 20'-0" require plywood crating.
3. LTL shipments require plywood crating with strippable film on panels.
4. Plywood crating with strippable film on panels: ..... \$17.05/lf of bundle - \$200.00 minimum.
5. Special packaging ..... Please inquire

#### Delivery:


1. 24 gauge stocked colors ..... Contact your local Customer Service Representative for lead times.
2. Other gauges, colors and metals ..... Contact your local Customer Service Representative for lead times.

#### Notes:

1. All panels - lengths longer than 40'-0" ..... Please inquire
2. **Heavier gauges, narrower widths and embossing may minimize oil canning.**

**IMPORTANT NOTICE TO INSTALLER/CUSTOMER:** Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

## Designer™ Series 16" - Fluted



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
24	16"	50,000	146#	Galvalume Plus® *	✓
24	16"	50,000	146#	Signature® 200 *	✓
24	16"	50,000	146#	Signature® 300 *	✓
24	16"	50,000	146#	Signature® 300 Metallic *	Please Inquire
22	16"	50,000	186#	Galvalume Plus® ✕	Please Inquire
22	16"	50,000	186#	Signature® 200 *	Please Inquire
22	16"	50,000	186#	Signature® 300 *	Please Inquire
22	16"	50,000	186#	Signature® 300 Metallic *	Please Inquire

## \* See Architectural Color Chart for available colors

✕ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

Consult the Designer™ TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

## Panel Pricing:

1. All pricing is based on net coverage.
2. Minimum quantities may be required for certain panel gauges and/or colors. Please Inquire.
3. For short panel lengths, add: \$3.70 per panel for panels 4'-0" in length and shorter.
4. Add \$8.00 per square for embossing.
5. All prices include standard packaging.

## Packaging Cost:

1. Standard packaging: Cardboard carton with strippable film across panel flat.
2. Optional interleaving: Microfoam interleaving available at \$0.10 per square foot.
3. Lengths greater than 20'-0" require plywood crating.
4. LTL shipments require plywood crating with strippable film on panels.
5. Plywood crating: ..... Add \$17.05/lb of bundle - \$200.00 minimum.
6. Special packaging ..... Please inquire

## Delivery:

1. 24 gauge stocked colors ..... Contact your local Customer Service Representative for lead times.
2. Other gauges, colors and metals ..... Contact your local Customer Service Representative for lead times.


## Notes:

1. Smooth panels - lengths longer than 35'-0" ..... Please inquire
2. Embossed panels - lengths longer than 45'-0" ..... Please inquire
3. **Heavier gauges, narrower widths and embossing may minimize oil canning.**

**IMPORTANT NOTICE TO INSTALLER/CUSTOMER:** Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**



## FW-120 Panel



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
24	12"	50,000	142#	Signature® 300 *	✓ †
22	12"	50,000	181#	Signature® 300 *	Please Inquire
20	12"	50,000	220#	Signature® 300 *	Please Inquire

\* See Architectural Color Chart for available colors

† Minimum quantities may be required for some colors. Please inquire.

Consult the FW-120 AND IL PANEL TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

#### Panel Pricing:

1. All pricing is based on net coverage.
2. For short panel lengths, add: \$3.70 per panel for panels 4'-0" in length and shorter.
3. Add \$8.00 per square for embossing.
4. All prices include standard packaging.
5. All prices include factory applied sealant in the panel side joint.

#### Packaging Cost:

1. 20 panels per bundle: Maximum 3000# per bundle.
2. Standard packaging: Cardboard carton with strippable film on panels.
3. Lengths greater than 20'-0" require plywood crating.
4. LTL shipments require plywood crating.
5. Plywood crating: ..... Add \$17.05/lf of bundle - \$200.00 minimum.
6. Special packaging ..... Please inquire

#### Delivery:


1. 24 gauge stocked colors ..... Contact your local Customer Service Representative for lead times.
2. Other gauges, colors and metals ..... Contact your local Customer Service Representative for lead times.

#### Notes:


1. Panel lengths over 30'-0" ..... Please inquire
2. **Heavier gauges, narrower widths and embossing may minimize oil canning.**
3. **Panel lengths 4'-0" or less do not have factory applied mastic.**

**IMPORTANT NOTICE TO INSTALLER/CUSTOMER:** Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

## Artisan®



L12



L12 with beads

DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
26	12"	50,000	102#	Galvalume Plus® *	✓
26	12"	50,000	102#	Signature® 200 *	✓ †
24	12"	50,000	128#	Galvalume Plus® *	✓
24	12"	50,000	128#	Signature® 200 *	✓
24	12"	50,000	128#	Signature® 300 *	✓
24	12"	50,000	128#	Signature® 300 Metallic *	Please Inquire
22	12"	50,000	163#	Galvalume Plus® *	Please Inquire
22	12"	50,000	163#	Signature® 200 *	Please Inquire
22	12"	50,000	163#	Signature® 300 *	Please Inquire
22	12"	50,000	163#	Signature® 300 Metallic *	Please Inquire
.024 Alum ††	12"	18,000	48#	Signature® 200 * - White Only	✓

## †† Perforated only

\*See Architectural Color Chart for available colors

† Minimum quantities may be required for some colors. Please inquire.

□ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

**Consult the ARCHITECTURAL TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.**

## Panel Pricing:

1. All pricing is based on net coverage.
2. For short panel lengths, add: \$3.70 per panel for panels 4'-0" in length and shorter.
3. Add \$8.00 per square for embossing.
4. All prices include standard packaging.

## Packaging Cost:

1. Standard packaging: Cardboard carton with strippable film on panels.
2. Lengths greater than 20'-0" require plywood crating.
3. LTL shipments require plywood crating.
4. Plywood crating: .....Add \$17.05/lb of bundle - \$200.00 minimum.
5. Special packaging: ..... Please inquire


## Delivery:

1. 26 gauge- Signature® 200 White and Burnished Slate .... Contact your local Customer Service Representative for lead times.
2. 24 gauge-stocked colors ..... Contact your local Customer Service Representative for lead times.
3. Other gauges, colors and metals ..... Contact your local Customer Service Representative for lead times.

## Notes:

1. 26, 24 and 22 gauge panels - lengths longer than 4'-0" ..... Please inquire
2. 26 gauge panels are to be used for soffit conditions only.
3. Perforated aluminum is 1/8" round on 0.324" staggered centers. Approximately 13 1/2% open area. Any other color, gauge or perforation pattern. Please inquire.
4. **Not recommended for exterior wall applications.**
5. **Heavier gauges, narrower widths and embossing may minimize oil canning.**

## FlexLoc®



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
24	9 1/2"	50,000	121#	Galvalume Plus® ✕	✓
24	9 1/2"	50,000	121#	Signature® 200 *	✓
24	9 1/2"	50,000	121#	Signature® 300 *	✓
24	9 1/2"	50,000	121#	Signature® 300 Metallic *	Please Inquire

**\*See Architectural Color Chart for available colors****† Minimum quantities may be required for some colors. Please inquire.**

✕ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

**Consult the FLEXLOC® TECHNICAL/PRODUCT MANUAL for proper product application, design details and other product information.****Panel Pricing:**

1. All pricing is based on net coverage.
2. For short panel lengths, add: \$3.70 per panel for panels 4'-0" in length and shorter.
3. Add \$8.00 per square for embossing.
4. See page 31 for clip selection.

**Packaging Cost:**

1. Standard packaging: Plywood crate for all lengths with strippable film on panels.
2. Plywood crating: ..... Add \$17.05/lb of bundle - \$200.00 minimum.
3. Special packaging ..... Please Inquire

**Delivery:**

1. 24 gauge-stocked colors ..... Contact your local Customer Service Representative for lead times.
2. Other gauges, colors and metals ..... Contact your local Customer Service Representative for lead times.


**Notes:**

1. All panel lengths longer than 20'-0" ..... Please Inquire
2. Curved panel applications ..... Please Inquire
3. **Heavier gauges, narrower widths and embossing may minimize oil canning.**

**IMPORTANT NOTICE TO INSTALLER/CUSTOMER:** Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**



QwikLok™



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
24	12"	50,000	173#	High Gloss White Only	✓

**Consult the ARCHITECTURAL TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.**

### Panel Pricing:

1. All pricing is based on net coverage.
2. For short panel lengths, add: \$3.70 per panel for panels 4'-0" in length and shorter.
3. Add \$8.00 per square for embossing.
4. Prices **do not** include standard packaging.

### Packaging Cost:

1. 22 panels per bundle: Maximum 3000# per bundle.
2. Block and band with strippable film on panels ..... \$1.40/lb of bundle - \$30.00 minimum.
3. Block and band and waterproof paper wrap with strippable film on panels ..... \$2.00/lb of bundle - \$30.00 minimum.
4. LTL Package - Plywood crating: ..... \$17.05 per square - \$200.00 minimum.
5. Special packaging ..... Please Inquire

### Delivery:


1. High Gloss White ..... Contact your local Customer Service Representative for lead times.
2. Other gauges, colors and metals ..... Contact your local Customer Service Representative for lead times.

### Notes:

1. All panels - lengths longer than 30'-0"..... Please Inquire
2. **Not recommended for wall application.**
3. **Heavier gauges and embossing may minimize oil canning.**
4. The standard QwikLok panel is painted on the bottom side. Please specify if the panel should be painted on the top side.

**IMPORTANT NOTICE TO INSTALLER/CUSTOMER:** Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

### Hat Section (HS-1)




**Note:**

\* Random colors are subject to availability


DESCRIPTION					PRICED PER EACH
PART #	GAUGE	FINISH	WEIGHT EACH	LENGTH	PRICE
HW-3100	22	Galvanized	12.32#	20'-0"	✓
HW-3105	16	Red Oxide	24.60#	20'-0"	✓
HW-3105	16	Galvanized	24.60#	20'-0"	✓

### Channel Section (CS-1)




DESCRIPTION					PRICED PER EACH
PART #	GAUGE	FINISH	WEIGHT EACH	LENGTH	PRICE
HW-3110	18	Galvanized	15.05#	20'-0"	✓

### 1" Sub-Girt (SG-1)




DESCRIPTION					PRICED PER EACH
PART #	GAUGE	FINISH	WEIGHT EACH	LENGTH	PRICE
HW-3120	18	Galvanized	17.59#	20'-0"	✓
HW-3121	16	Red Oxide	27.40#	20'-0"	✓

## ½" Sub-Girt (SG-2)



DESCRIPTION					PRICED PER EACH
PART #	GAUGE	FINISH	WEIGHT EACH	LENGTH	PRICE
HW-3130	18	Galvanized	10.56#	20'-0"	✓
HW-3131	16	Red Oxide	15.50#	20'-0"	✓

## Furring Zee



DESCRIPTION						PRICED PER EACH
PART #	DIM "A"	GAUGE	FINISH	WEIGHT EACH	LENGTH	PRICE
HW-3020	1½"	22	Galvanized	3.08#	10'-0"	✓
HW-3021	2½"	22	Galvanized	4.07#	10'-0"	✓
HW-3022	3½"	18	Galvanized	8.01#	10'-0"	✓
HW-3023	4½"	18	Galvanized	9.58#	10'-0"	✓
HW-3024	3½"	16	Red Oxide	11.69#	10'-0"	✓
HW-3025	4½"	16	Red Oxide	13.66#	10'-0"	✓

### Structural Pricing:

- Custom lengths available - Minimum order required.

### Note:

- Length tolerance is  $\pm \frac{1}{4}$ ".
- Alternate gauges and finishes available: Please inquire.
- Refer to "Commercial/Industrial Pricing" Section for additional structural shapes.


## Flat Sheet Selection Chart

	24 GAUGE		22 GAUGE	
	42¾"	48¾"	42¾"	48¾"
<b>SIGNATURE® 300</b>				
Colonial Red		●		
Natural Patina		●		
Medium Bronze		●		
Pacific Blue		●		
Snow White		●		
Slate Gray		●		
Almond		●		
Midnight Bronze		●		
Classic Green		●		
Everglade		●		
Brownstone		●		
Bone White		●		
Tundra		●		
Spruce		●		
Brite Red		●		
Harbor Blue		●		
Hunter Green		●		
<b>SIGNATURE® 300 METALLIC</b>				
Copper Metallic		●		
Silver Metallic		●		
<b>SIGNATURE® 200</b>				
Burnished Slate		●		
Polar White		●		●
Charcoal Gray		●		
Light Stone		●		
Hawaiian Blue		●		
Rustic Red		●		
Koko Brown		●		
Fern Green		●		
Solar White		●		
True Black		●		
<b>OTHER</b>				
Galvalume Plus®	●	●	●	
High Gloss White	●			

□ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.



## Flat Sheets

**Note:**


- Add \$42.00 for flat sheet wood skid/Maximum 100 flat sheets or 3000# per skid. Maximum 14'-0" length.
- Add \$60.00 for LTL crating/Maximum 100 flat sheets or 3000# per skid. Maximum 14'-0" length.
- Strippable film available for flat sheets (except for "Low Gloss Paint Finish Systems") upon request. Add \$0.10 per square foot.
- Minimum length 5'-0", maximum length 14'-0". Flat sheet lengths over 14'-0" require special skid. Please inquire.
- All material is Grade D.

**\*See Flat Sheet Selection Chart on page 19 for color availability.**

DESCRIPTION				PRICED PER LINEAR FOOT
GAUGE	WIDTH	FINISH	WEIGHT PER CLF	PRICE
24	42¾"	Signature® 200 *	3.48#	✓
24	42¾"	Galvalume Plus® ☒	3.48#	✓
24	42¾"	High Gloss White	3.48#	✓
24	48⅝"	Signature® 300 Metallic *	3.94#	✓
24	48⅝"	Signature® 300 *	3.94#	✓
24	48⅝"	Signature® 200 *	3.94#	✓
24	48⅝"	Galvalume Plus® ☒	3.94#	✓
22	42¾"	Signature® 200 *	4.42#	✓
22	42¾"	Galvalume Plus® **	4.42#	✓
22	48⅝"	Signature® 300 Metallic *	5.00#	✓
22	48⅝"	Signature® 300 *	5.00#	✓
22	48⅝"	Signature® 200 *	5.00#	✓
22	48⅝"	Galvalume Plus® ☒	4.77#	✓

☒ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

## SB/HB Batten Cap




## Note:

- Pricing is for 24 gauge material - Inquire about pricing for other gauges or finishes
- Curving of Batten Cap is to be outsourced by the customer

DESCRIPTION					PRICED PER 100 LINEAR FEET			
PART #	SIZE	LENGTH	GIRTH	WEIGHT PER CLF	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
FL-566	1" x 3/8"	Specify	2 1/16"	.17#	✓	✓	✓	✓

## SB/HB Batten Cap Coupler




## Note:

- Pricing is for 24 gauge material - Inquire about pricing for other gauges or finishes
- Field cut to 4" pieces

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
FL-560	10'-0"	1 7/8"	1.53#	✓	✓	✓	✓

## HB Transition Filler




## Note:

- Pricing is for 24 gauge material - Inquire about pricing for other gauges or finishes
- Field cut to 4" pieces - Two pieces required per transition

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
FL-562	10'-0"	4"	3.25#	✓	✓	✓	✓

## LokSeam® Rib Cover




## Note:

- Pricing is for 24 gauge material - Inquire about pricing for other gauges or finishes
- For LokSeam® profile at roof to fascia transitions

DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
FL-565	8"	.20#	✓	✓	✓	✓

## MasterLine 16® Outside Closure - Metal




## Note:

- One closure per panel


DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
HW-4067LH	17"	.25#	✓	✓	✓	✓
HW-4067RH	17"	.25#	✓	✓	✓	✓

## LokSeam® Standard Clip



DESCRIPTION			PRICED PER 100
PART #	FINISH	WEIGHT PER 100	PRICE
HW-6200	Galvanized	8.75#	✓


## LokSeam® UL90 Clip

**Note:**

- Requires two fasteners per clip for UL90


DESCRIPTION			PRICED PER 100
PART #	FINISH	WEIGHT PER 100	PRICE
HW-6400	Galvanized	16.00#	✓

## FlexLoc® Clip



DESCRIPTION			PRICED PER 100
PART #	FINISH	WEIGHT PER 100	PRICE
HW-4900	Galvalume Plus®	1.07#	✓


## SB Clip

**Note:**

- Use with Craftsman™ Series Small Batten panels

DESCRIPTION			PRICED PER 100
PART #	FINISH	WEIGHT PER 100	PRICE
HW-4500	Galvalume Plus®	4.40#	✓


## HB Clip

**Note:**

- Use with Craftsman™ Series High Batten panels

DESCRIPTION			PRICED PER 100
PART #	FINISH	WEIGHT PER 100	PRICE
HW-4800	Galvalume Plus®	5.00#	✓


## Bearing Plate

**Note:**

- For use with all clips

DESCRIPTION			PRICED PER 100	
PART #	GAUGE	WEIGHT PER 100	RED OXIDE	GALVANIZED
HW-7500	16	32.18#	✓	✓

## Classic® Series Clip Angle


**Note:**

- Use with Classic Series P16 Panels

DESCRIPTION				PRICED PER 100
PART #	GAUGE	FINISH	WEIGHT PER 100	PRICE
HW-4600	16	Red Oxide	61.00#	✓




## ShadowRib™ Starter Angle



DESCRIPTION					PRICED PER EACH
PART #	GAUGE	LENGTH	FINISH	WEIGHT PER EACH	PRICE
HW-4650	18	10'-0"	Galvanized	6.26#	✓

## ShadowRib™ Clip




## Note:

- Use with ShadowRib™ Panels only

DESCRIPTION				PRICED PER EACH
PART #	GAUGE	FINISH	WEIGHT PER 100	PRICE
HW-6602	16	Red Oxide	.35#	✓

## Support Plate




## Note:

- Use with Floating or Fixed Hip

DESCRIPTION						PRICED PER EACH
PART #	GAUGE	LENGTH	FINISH	GIRTH	WEIGHT EACH	PRICE
P-140	14	10'-0"	Red Oxide	23 3/8"	54.35#	✓

## Support Plate




## Note:

- Use with Fixed Ridge

DESCRIPTION						PRICED PER EACH
PART #	GAUGE	LENGTH	FINISH	GIRTH	WEIGHT EACH	PRICE
P-141	14	10'-0"	Red Oxide	23 3/8"	54.35#	✓


## MasterLine 16® Sheathing Support Angle

**Note:**

- Used to support exterior sheathing and base trim when no sheathing notch is in concrete.
- 1 1/2" leg supports sheathing thickness of 1/2" - 1"
- 4 1/2" leg supports sheathing thickness of 3 1/2" - 4"

DESCRIPTION					PRICED PER EACH
PART #	GAUGE	LENGTH	FINISH	WEIGHT EACH	PRICE
HW-4651	18	10'-0"	Galvanized	9.38#	✓


## MasterLine 16® Sheathing Support Angle

**Note:**

- Used to support exterior sheathing and base trim when no sheathing notch is in concrete.
- 2 1/2" leg supports sheathing thickness of 1 1/2" - 2"
- 3 1/2" leg supports sheathing thickness of 2 1/2" - 3"

DESCRIPTION					PRICED PER EACH
PART #	GAUGE	LENGTH	FINISH	WEIGHT EACH	PRICE
HW-4652	18	10'-0"	Galvanized	9.38#	✓


## Rake Support Floating

**Note:**

- Use with LokSeam® Panels only

DESCRIPTION					PRICED PER EACH	
PART #	GAUGE	LENGTH	FINISH	WEIGHT PER EACH	RED OXIDE	GALVANIZED
HW-4680	14	20'-0"	Red Oxide	18.77#	✓	✓

## Back-Up Plate Vertical Leg

**Note:**

- Use with LokSeam® Panels only

DESCRIPTION				PRICED PER EACH	
PART #	GAUGE	WIDTH	WEIGHT PER EACH	RED OXIDE	GALVANIZED
HW-7762	16	18"	2.28#	✓	N/A
HW-7766	16	16"	2.02#	✓	✓
HW-7764	16	12"	1.50#	✓	✓

## Tape Sealer - Triple Bead

**Use:**

Endlap tape is used to provide a seal where two rows of roof panels overlap each other on both CFR panels.


DESCRIPTION							PRICED PER CARTON
PART #	TYPE	WIDTH	THICKNESS	LENGTH	CARTON QTY	GCARTON WEIGHT	PRICE
HW-502	Butyl	2½"	¾"	20'-0"	6	23.00#	✓

## Tape Sealer - Tri-Bead



DESCRIPTION							PRICED PER CARTON
PART #	TYPE	WIDTH	THICKNESS	LENGTH	CARTON QTY	GCARTON WEIGHT	PRICE
HW-504	Butyl	¾"	¾"	25'-0"	8	20.00#	✓

## Tube Sealant




## Note:

- 25' per tube at ¼" bead.

DESCRIPTION					PRICED PER TUBE
PART #	TYPE	COLOR	TUBE SIZE	TUBE WEIGHT	PRICE
HW-548	Acrylic	White	11 Ounce	.75#	✓
HW-550	Acrylic	Gray	11 Ounce	.75#	✓
HW-540	Urethane	White	11 Ounce	.85#	✓
HW-541	Urethane	Gray	11 Ounce	.85#	✓
HW-542	Urethane	Bronze	11 Ounce	.85#	✓
HW-544	Urethane	Almond	11 Ounce	.85#	✓
HW-549	Non-Skinning Butyl	White	10 Ounce	1.00#	✓

## Metal Vent Material




## Note:

- Use with FL-540 Ridge Flashing for Metal Vent

DESCRIPTION						PRICED PER EACH
PART #	TYPE	WIDTH	GAUGE	LENGTH	WEIGHT PER EACH	PRICE
HW-525	Metal	4½"	24	8'-0"	4.25#	✓

## Reflective Insulation




## Note:

- R-8 RFSK with VersiTab ¼" fiberglass with a silver (aluminum) scrim reinforced vapor retarder on one side and a foil film on the other side
- VersiTab has a 2" tab on one side and a 4" tab on the other side of the roll to allow the insulation side laps to be folded and stapled or overlapped

DESCRIPTION					PRICED PER ROLL
PART #	TYPE	WIDTH	LENGTH	WEIGHT PER ROLL	PRICE
HW-3925	SolarGuard	4'-0"	125'-0"	31.00#	✓
HW-3926	SolarGuard	6'-0"	125'-0"	46.50#	✓

## Scrimless Aluminum Tape



DESCRIPTION				PRICED PER ROLL
PART #	WIDTH	LENGTH	WEIGHT PER ROLL	PRICE
HW-514	3"	150'-0"	1.50#	✓

## Classic® Series Closures - Outside



DESCRIPTION			PRICED PER EACH
PART #	PROFILE	WEIGHT PER EACH	PRICE
HW-408	P16	.46#	✓

## MasterLine 16® Closures - Outside



DESCRIPTION			PRICED PER EACH
PART #	PROFILE	WEIGHT EACH	PRICE
HW-433	MasterLine 16®	.04#	✓

## ShadowRib™ Closures - Inside



DESCRIPTION			PRICED PER EACH
PART #	PROFILE	WEIGHT PER EACH	PRICE
HW-410	ShadowRib™	.44#	✓

## ShadowRib™ Closures - Outside



DESCRIPTION			PRICED PER EACH
PART #	PROFILE	WEIGHT PER EACH	PRICE
HW-412	ShadowRib™	.10#	✓




## Miscellaneous Closures



DESCRIPTION			PRICED PER EACH
PART #	PROFILE	WEIGHT PER EACH	PRICE
HW-414	1 $\frac{5}{8}$ " x 1" x 48"	.13#	✓
HW-416	2" x 1" x 48"	.16#	✓
HW-418	1 $\frac{7}{8}$ " x 1" x 48"	.15#	✓
HW-420	1" x 1" x 48"	.40#	✓
HW-422	1 $\frac{1}{2}$ " x 1" x 48"	.13#	✓

## NuWall® Closures - Outside



Note:

- Two closures required per panel

DESCRIPTION			PRICED PER EACH
PART #	PROFILE	WEIGHT PER CARTON	PRICE
HW-424	NuWall®	.10#	✓

## Designer™ Series 16" Fluted Closure - Inside



DESCRIPTION			PRICED PER EACH
PART #	PROFILE	WEIGHT PER CARTON	PRICE
HW-4059	Designer™ Series 16" Fluted	.20#	✓

## Designer™ Series 16" Fluted Closure - Outside




DESCRIPTION			PRICED PER EACH
PART #	PROFILE	WEIGHT PER CARTON	PRICE
HW-4037	Designer™ Series 16" Fluted	.20#	✓

## Designer™ Series 12" Flat Closure - Inside



DESCRIPTION			PRICED PER EACH
PART #	PROFILE	WEIGHT PER CARTON	PRICE
HW-4058	Designer™ Series 12" Flat	.15#	✓

## Panel Hemming Tool




DESCRIPTION			PRICED PER EACH
PART #	PROFILE	WEIGHT PER EACH	PRICE
HW-602	19"	4.25#	✓

## Touch Up Paint




DESCRIPTION					PRICED PER EACH
PART #	FINISH	SIZE	COLOR	WEIGHT PER EACH	PRICE
HW-304	Signature® 200	2 Ounce	See Color Chart	.50#	✓
HW-305	Signature® 300	2 Ounce	See Color Chart	.50#	✓

### Closure Angle




DESCRIPTION					PRICED PER EACH			
PART #	LENGTH	GIRTH	TYPE	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5005	10'-2"	3"	Inside	2.48#	✓	✓	✓	✓
T-5006	10'-2"	3"	Outside	2.48#	✓	✓	✓	✓

### Z Closure




DESCRIPTION					PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5011	1"	10'-2"	3"	2.48#	✓	✓	✓	✓
T-5012	1 1/8"	10'-2"	3 1/8"	2.59#	✓	✓	✓	✓
T-5014	1 3/4"	10'-2"	3 3/4"	3.10#	✓	✓	✓	✓
T-5015	2"	10'-2"	4"	3.31#	✓	✓	✓	✓
T-5016	2 1/8"	10'-2"	4 1/8"	3.41#	✓	✓	✓	✓

## Z Closure With Cleat




DESCRIPTION					PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5021	1 1/8"	10'-2"	3 5/8"	3.00#	✓	✓	✓	✓
T-5022	1 3/4"	10'-2"	4 1/4"	3.52#	✓	✓	✓	✓
T-5023	2"	10'-2"	4 1/2"	3.72#	✓	✓	✓	✓
T-5024	2 1/8"	10'-2"	4 5/8"	3.83#	✓	✓	✓	✓

## C Closure




DESCRIPTION					PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5031	1 1/8"	10'-2"	5 1/8"	4.24#	✓	✓	✓	✓
T-5032	1 3/4"	10'-2"	5 3/4"	4.76#	✓	✓	✓	✓
T-5033	2"	10'-2"	6"	4.96#	✓	✓	✓	✓
T-5034	2 1/8"	10'-2"	6 1/8"	5.07#	✓	✓	✓	✓

## C Closure With Cleat




DESCRIPTION					PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5041	1 1/8"	10'-2"	7 1/8"	5.89#	✓	✓	✓	✓
T-5042	1 3/4"	10'-2"	7 3/4"	6.41#	✓	✓	✓	✓
T-5043	2"	10'-2"	8"	6.62#	✓	✓	✓	✓
T-5044	2 1/8"	10'-2"	8 1/8"	6.72#	✓	✓	✓	✓

### Angle Trim




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5051	10'-2"	2 1/4"	1.86#	✓	✓	✓	✓



DESCRIPTION					PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5053	1"	10'-2"	2 1/2"	2.07#	✓	✓	✓	✓
T-5055	1 1/2"	10'-2"	3"	2.48#	✓	✓	✓	✓


### Cap Trim



DESCRIPTION					PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5061	1 1/8"	10'-2"	5 5/8"	4.65#	✓	✓	✓	✓
T-5065	1 5/8"	10'-2"	6 1/8"	5.07#	✓	✓	✓	✓
T-5062	1 3/4"	10'-2"	6 1/4"	5.17#	✓	✓	✓	✓
T-5063	2"	10'-2"	6 1/2"	5.38#	✓	✓	✓	✓
T-5064	2 1/8"	10'-2"	6 5/8"	5.48#	✓	✓	✓	✓



## Ridge/Hip Flash - Fixed




**Note:**

- Specify roof slope or angle indicated on drawing
- Specify use for ridge or hip

DESCRIPTION					PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5071	4½"	10'-2"	10"	8.27#	✓	✓	✓	✓
T-5072	4½"	20'-2"	10"	16.41#	✓	✓	✓	✓
T-5073	5½"	10'-2"	12"	9.93#	✓	✓	✓	✓
T-5074	5½"	20'-2"	12"	19.69#	✓	✓	✓	✓
T-5075	6½"	10'-2"	14"	11.58#	✓	✓	✓	✓
T-5076	6½"	20'-2"	14"	22.97#	✓	✓	✓	✓

## Ridge Flash - Floating




**Note:**

- For LokSeam® only
- For use without Ridge Vent Material - 18" peak purlin spacing
- Specify roof slope or angle indicated on drawing

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5087	10'-2"	16½"	13.65#	✓	✓	✓	✓
T-5088	20'-2"	16½"	27.08#	✓	✓	✓	✓

## Ridge Flash For Vent




**Note:**

- For LokSeam® or Craftsman® Series
- Use with FL-254 Perforated Vent Drip - 18" purlin spacing
- Specify roof slope or angle indicated on drawing

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5089	10'-2"	21½"	17.79#	✓	✓	✓	✓
T-5090	20'-2"	21½"	35.28#	✓	✓	✓	✓

### Ridge Flash For Metal Vent




**Note:**

- For LokSeam® only
- Use with HW-525 Metal Vent Material - 18" peak purlin spacing
- Specify roof slope or angle indicated on drawing

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
FL-540	10'-2"	22 1/4"	18.41#	✓	✓	✓	✓

### Ridge End Cap - Floating




**Note:**

- Use with T-5087 or T-5088 Ridge Flash - Floating
- Specify roof slope

DESCRIPTION		PRICED PER EACH			
PART #	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5100	.26#	✓	✓	✓	✓

### Ridge End Cap - Vent




**Note:**

- For LokSeam® only
- Use with T-5089 or T-5090 Ridge Flash for Vent
- Specify roof slope

DESCRIPTION		PRICED PER EACH			
PART #	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5101	.71#	✓	✓	✓	✓

### Peak Cap




**Note:**

- Specify open hem when using with T-5121 Continuous Cleat
- Specify roof slope or angle indicated on drawing

DESCRIPTION						PRICED PER EACH			
PART #	DIM "A"	DIM "B"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5077	4½"	5"	10'-2"	11½"	9.20#	✓	✓	✓	✓
T-5078	4½"	5"	20'-2"	11½"	18.26#	✓	✓	✓	✓
T-5079	5½"	5"	10'-2"	12½"	10.03#	✓	✓	✓	✓
T-5080	5½"	5"	20'-2"	12½"	19.90#	✓	✓	✓	✓
T-5081	4½"	4"	10'-2"	10½"	8.38#	✓	✓	✓	✓
T-5082	4½"	4"	20'-2"	10½"	16.61#	✓	✓	✓	✓
T-5083	5½"	4"	10'-2"	11½"	9.20#	✓	✓	✓	✓
T-5084	5½"	4"	20'-2"	11½"	18.26#	✓	✓	✓	✓
T-5085	10¼"	5"	10'-2"	16⅞"	13.96#	✓	✓	✓	✓
T-5086	10¼"	5"	20'-2"	16⅞"	27.69#	✓	✓	✓	✓

### Valley Trim




**Note:**

- Specify roof slope or angle indicated on drawing

DESCRIPTION						PRICED PER EACH			
PART #	DIM "A"	DIM "B"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
<b>Standard Valley</b>									
T-5091	1"	11"	10'-2"	24"	19.85#	✓	✓	✓	✓
T-5092	1"	11"	20'-2"	24"	39.38#	✓	✓	✓	✓
T-5093	2"	11"	10'-2"	26"	21.51#	✓	✓	✓	✓
T-5094	2"	11"	20'-2"	26"	42.66#	✓	✓	✓	✓
<b>Extended Valley</b>									
T-5095	1"	23"	10'-2"	48"	39.71#	✓	✓	✓	✓
T-5096	1"	23"	14'-0"	48"	54.68#	✓	✓	✓	✓
T-5097	2"	22"	10'-2"	48"	39.71#	✓	✓	✓	✓
T-5098	2"	22"	14'-0"	48"	54.68#	✓	✓	✓	✓

### Panel Starter




**Note:**

- Use with vertical applications (Fascia) only
- 24 gauge material only


DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5111	10'-2"	3"	2.48#	✓	✓	✓	✓

### Continuous Cleat




DESCRIPTION				PRICED PER EACH
PART #	LENGTH	GIRTH	WEIGHT PER EACH	ASSORTED COLORS
T-5121	10'-2"	3"	2.48#	✓

### Offset Cleat



DESCRIPTION				PRICED PER EACH
PART #	LENGTH	GIRTH	WEIGHT PER EACH	ASSORTED COLORS
T-5131	10'-2"	3 1/2"	2.90#	✓

### Perforated Vent Drip




**Note:**

- 24 gauge material - Galvalume® Plus only
- Use with T-5089 or T-5090 Ridge Flash for Vent

DESCRIPTION				PRICED PER EACH
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®
FL-254	10'-2"	6 3/4"	5.58#	✓

### Eave Trim




**Note:**

- Specify roof slope or angle indicated on drawing
- Specify open hem when using with T-5121 Continuous Cleat

DESCRIPTION					PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5141	4"	10'-2"	8 5/8"	7.14#	✓	✓	✓	✓
T-5142	4"	20'-2"	8 5/8"	14.15#	✓	✓	✓	✓
T-5143	3"	10'-2"	7 5/8"	6.31#	✓	✓	✓	✓
T-5144	3"	20'-2"	7 5/8"	12.51#	✓	✓	✓	✓


### Eave with Extended Drip Edge



**Note:**

- Use with roof slopes up to 4:12
- Specify roof slope or angle indicated on drawing
- Specify open hem when using with T-5121 Continuous Cleat

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5151	10'-2"	9 5/8"	7.96#	✓	✓	✓	✓




**Note:**

- Use with roof slopes over 4:12
- Specify roof slope or angle indicated on drawing
- Specify open hem when using with T-5121 Continuous Cleat

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5152A	10'-2"	5"	4.14#	✓	✓	✓	✓
T-5152B	10'-2"	5 3/8"	4.45#	✓	✓	✓	✓

### Eave to Fascia Transition




**Note:**

- Specify open hem when using with T-5121 Continuous Cleat
- Specify roof slope or angle indicated on drawing

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5161	10'-2"	11"	9.10#	✓	✓	✓	✓
T-5162	20'-2"	11"	18.05#	✓	✓	✓	✓

### Roof to Fascia/Sill Sash




**Note:**

- Specify open hem when using with T-5121 Continuous Cleat
- Specify roof slope or angle indicated on drawing

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5171	10'-2"	9"	7.45#	✓	✓	✓	✓
T-5172	20'-2"	9"	14.77#	✓	✓	✓	✓

### Sill/Head Sash




**Note:**

- Specify angle indicated on drawing

DESCRIPTION					PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5181	1 1/4"	10'-2"	7"	5.79#	✓	✓	✓	✓
T-5182	1 1/4"	20'-2"	7"	11.49#	✓	✓	✓	✓
T-5183	2 1/4"	10'-2"	9"	7.45#	✓	✓	✓	✓
T-5184	2 1/4"	20'-2"	9"	14.77#	✓	✓	✓	✓



### Sill with Soffit




**Note:**

- Specify angle indicated on drawing

DESCRIPTION						PRICED PER EACH			
PART #	DIM "A"	DIM "B"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5191	1 1/4"	3 3/4"	10'-2"	9"	7.45#	✓	✓	✓	✓
T-5193	2 1/4"	4 3/4"	10'-2"	11"	9.10#	✓	✓	✓	✓

### Box Sill with Soffit




**Note:**

- Specify angle indicated on drawing

DESCRIPTION						PRICED PER EACH			
PART #	DIM "A"	DIM "B"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5201	1 1/4"	3 3/4"	10'-2"	11"	9.10#	✓	✓	✓	✓
T-5202	1 1/4"	3 3/4"	20'-2"	11"	18.05#	✓	✓	✓	✓
T-5203	2 1/4"	4 3/4"	10'-2"	13"	10.75#	✓	✓	✓	✓
T-5204	2 1/4"	4 3/4"	20'-2"	13"	21.33#	✓	✓	✓	✓

### Parapet High Side Eave Flash - Fixed




**Note:**

- Specify roof slope or angle indicated on drawing

DESCRIPTION					PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5211	4 1/2"	10'-2"	9"	7.45#	✓	✓	✓	✓
T-5212	4 1/2"	20'-2"	9"	14.77#	✓	✓	✓	✓
T-5213	5 1/2"	10'-2"	10"	8.27#	✓	✓	✓	✓
T-5214	5 1/2"	20'-2"	10"	16.41#	✓	✓	✓	✓

## Parapet High Side Eave Flash - Floating




Note:

- Specify roof slope or angle indicated on drawing


DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5215	10'-2"	13"	10.75#	✓	✓	✓	✓
T-5216	20'-2"	13"	21.33#	✓	✓	✓	✓

## Parapet Rake Flash




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5217	10'-2"	9 1/4"	7.65#	✓	✓	✓	✓
T-5218	20'-2"	9 1/4"	15.18#	✓	✓	✓	✓

## Parapet Rake Cleat




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5219	10'-2"	2 1/2"	2.07#	✓	✓	✓	✓

## Counterflash




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5225	10'-2"	4 1/2"	3.72#	✓	✓	✓	✓
T-5226	14'-0"	4 1/2"	7.38#	✓	✓	✓	✓

## Alternate Counterflash



DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5221	10'-2"	4 1/2"	3.72#	✓	✓	✓	✓
T-5222	14'-0"	4 1/2"	7.38#	✓	✓	✓	✓

## Box Rake




## Note:

- Specify open hem when using with T-5121 Continuous Cleat


DESCRIPTION						PRICED PER EACH			
PART #	DIM "A"	DIM "B"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5231	4"	3"	10'-2"	8 5/8"	7.14#	✓	✓	✓	✓
T-5232	4"	3"	20'-2"	8 5/8"	14.15#	✓	✓	✓	✓
T-5233	5"	3"	10'-2"	9 5/8"	7.96#	✓	✓	✓	✓
T-5234	5"	3"	20'-2"	9 5/8"	15.79#	✓	✓	✓	✓
T-5235	5"	4"	10'-2"	10 5/8"	8.79#	✓	✓	✓	✓
T-5236	5"	4"	20'-2"	10 5/8"	17.43#	✓	✓	✓	✓
T-5237	5"	5"	10'-2"	11 5/8"	9.62#	✓	✓	✓	✓
T-5238	5"	5"	20'-2"	11 5/8"	19.08#	✓	✓	✓	✓

## Rake Slide




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5240	10'-2"	2 3/4"	2.27#	✓	✓	✓	✓

## Inside Corner




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5251	10'-2"	8"	6.62#	✓	✓	✓	✓
T-5252	20'-2"	8"	13.10#	✓	✓	✓	✓

## Outside Corner



DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5241	10'-2"	8"	6.62#	✓	✓	✓	✓
T-5242	20'-2"	8"	13.13#	✓	✓	✓	✓

### Box Gutter




**Note:**

- Specify roof slope or angle indicated on drawing
- Snow Gutter available - Please inquire

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5261	10'-2"	24"	19.85#	✓	✓	✓	✓
T-5262	20'-2"	24"	39.38#	✓	✓	✓	✓

### Box Gutter with Drip Edge




**Note:**

- Specify roof slope or angle indicated on drawing
- 4:12 maximum roof slope


DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5271	10'-2"	27"	22.34#	✓	✓	✓	✓

### Gutter Strap



DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5281	10"	2"	.14#	✓	✓	✓	✓

## Gutter Ends - Left or Right




## Note:

- Use with T-5261 or T-5262 Box Gutter or T-5271 Box Gutter with Drip Edge
- Specify left or right.


DESCRIPTION		PRICED PER EACH			
PART #	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5291	.31#	✓	✓	✓	✓

## Downspout




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5311	10'-2"	16 7/8"	13.96#	✓	✓	✓	✓
T-5312	12'-0"	16 7/8"	16.48#	✓	✓	✓	✓
T-5313	14'-0"	16 7/8"	19.22#	✓	✓	✓	✓
T-5315	16'-0"	16 7/8"	21.97#	✓	✓	✓	✓
T-5314	20'-2"	16 7/8"	27.69#	✓	✓	✓	✓

## Downspout with 45° Kickout




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5321	10'-2"	16 3/4"	13.86#	✓	✓	✓	✓
T-5322	12'-0"	16 3/4"	16.46#	✓	✓	✓	✓
T-5323	14'-0"	16 3/4"	19.21#	✓	✓	✓	✓
T-5325	16'-0"	16 3/4"	21.95#	✓	✓	✓	✓
T-5324	20'-2"	16 7/8"	27.69#	✓	✓	✓	✓

## Downspout Strap



DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5301	1"	10"	.07#	✓	✓	✓	✓

## Coping




## Note:

- Specify open hem when using with T-5121 Continuous Cleat

DESCRIPTION					PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5331	10"	10'-2"	18 1/8"	14.99#	✓	✓	✓	✓
T-5332	10"	20'-2"	18 1/8"	29.74#	✓	✓	✓	✓
T-5333	14"	10'-2"	22 1/8"	18.30#	✓	✓	✓	✓
T-5334	14"	20'-2"	22 1/8"	36.31#	✓	✓	✓	✓

## Hem-Lock Coping




## Note:

- Specify open hem when using with T-5121 Continuous Cleat

DESCRIPTION					PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5341	10"	10'-2"	19 1/4"	15.93#	✓	✓	✓	✓
T-5342	10"	20'-2"	19 1/4"	31.59#	✓	✓	✓	✓
T-5343	14"	10'-2"	23 1/4"	19.24#	✓	✓	✓	✓
T-5344	14"	20'-2"	23 1/4"	37.98#	✓	✓	✓	✓



## Gravel Guard




## Note:

- Specify open hem when using with T-5121 Continuous Cleat

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5351	10'-2"	11 1/8"	9.20#	✓	✓	✓	✓
T-5352	20'-2"	11 1/8"	18.26#	✓	✓	✓	✓

## Splice Trim




DESCRIPTION					PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5361	1 1/8"	10'-2"	8 3/8"	6.93#	✓	✓	✓	✓
T-5365	1 5/8"	10'-2"	8 7/8"	7.34#	✓	✓	✓	✓
T-5362	1 3/4"	10'-2"	9"	7.45#	✓	✓	✓	✓
T-5363	2"	10'-2"	9 1/4"	7.65#	✓	✓	✓	✓
T-5364	2 1/8"	10'-2"	9 3/8"	7.76#	✓	✓	✓	✓

## Alternate Splice Trim




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5371	10'-2"	3 1/2"	2.90#	✓	✓	✓	✓

## Termination Trim




DESCRIPTION					PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5391	1"	10'-2"	7 1/4"	6.00#	✓	✓	✓	✓
T-5392	1 1/2"	10'-2"	7 3/4"	6.41#	✓	✓	✓	✓
T-5393	1 5/8"	10'-2"	7 7/8"	6.51#	✓	✓	✓	✓
T-5394	2 1/2"	10'-2"	8 3/4"	7.24#	✓	✓	✓	✓
T-5395	3"	10'-2"	9 1/4"	7.65#	✓	✓	✓	✓

## MasterLine 16® Head Trim




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5511	3'-6"	6 1/8"	1.74#	✓	✓	✓	✓
T-5513	10'-4"	6 1/8"	5.15#	✓	✓	✓	✓
T-5515	14'-4"	6 1/8"	7.14#	✓	✓	✓	✓

## MasterLine 16® Jamb/Sill Case



DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5517	10'-2"	6"	4.96#	✓	✓	✓	✓

### MasterLine 16® Door Jamb Cleat




**Note:**

- Use with T-5541, T-5542, T-5543, T-5544 or T-5545 Two Piece Jamb Trim

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5540	10'-2"	3"	2.48#	✓	✓	✓	✓

### MasterLine 16® Two Piece Jamb Trim




**Note:**

- Use with T-5540 Door Jamb Cleat


DESCRIPTION						PRICED PER EACH			
PART #	DIM "A"	SHEATHING THICKNESS	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5541	1 1/2"	1/2"	10'-2"	4 7/8"	4.03#	✓	✓	✓	✓
T-5542	1 3/4"	3/4"	10'-2"	5 1/8"	4.24#	✓	✓	✓	✓
T-5543	2"	1"	10'-2"	5 3/8"	4.45#	✓	✓	✓	✓
T-5544	2 1/2"	1 1/2"	10'-2"	5 7/8"	4.86#	✓	✓	✓	✓
T-5545	3"	2"	10'-2"	6 3/8"	5.27#	✓	✓	✓	✓

### MasterLine 16® Base Trim




DESCRIPTION					PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5534	1 1/8"	10'-2"	4 3/4"	3.93#	✓	✓	✓	✓

## MasterLine 16® Panel Cleat




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5530	10'-2"	3 1/16"	2.53#	✓	✓	✓	✓

## MasterLine 16® Outside Corner




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5505	10'-2"	7"	5.79#	✓	✓	✓	✓
T-5506	20'-2"	7"	11.49#	✓	✓	✓	✓

## MasterLine 16® Inside Corner




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5507	10'-2"	7"	5.79#	✓	✓	✓	✓
T-5508	20'-2"	7"	11.49#	✓	✓	✓	✓

## MasterLine 16® Support Zee



DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5526	10'-2"	2 3/4"	2.27#	✓	✓	✓	✓

## MasterLine 16® Cee Closure




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5510	10'-2"	5 1/2"	4.55#	✓	✓	✓	✓

## MasterLine 16® Flat Splice Trim




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5520	10'-2"	5"	4.14#	✓	✓	✓	✓
T-5521	14'-0"	5"	5.70#	✓	✓	✓	✓

## MasterLine 16® Reveal Splice Trim




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5523	10'-2"	7 1/2"	6.41#	✓	✓	✓	✓
T-5524	14'-0"	7 1/2"	8.83#	✓	✓	✓	✓

### ShadowRib™ Base Trim




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6011	10'-2"	7 1/4"	6.00#	✓	✓	✓	✓
T-6012	20'-2"	7 1/4"	11.90#	✓	✓	✓	✓

### ShadowRib™ Head Trim




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6083	10'-2"	7 7/8"	6.51#	✓	✓	✓	✓
T-6084	20'-2"	7 7/8"	12.92#	✓	✓	✓	✓

### ShadowRib™ Head Trim - Alternate




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6081	10'-2"	11 3/4"	9.72#	✓	✓	✓	✓
T-6082	20'-2"	11 3/4"	19.28#	✓	✓	✓	✓

## ShadowRib™ Splice Trim




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6121	10'-2"	8"	6.62#	✓	✓	✓	✓
T-6122	20'-2"	8"	13.13#	✓	✓	✓	✓

## ShadowRib™ Outside Corner




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6023	10'-2"	9"	7.45#	✓	✓	✓	✓
T-6024	20'-2"	9"	14.77#	✓	✓	✓	✓

## ShadowRib™ Inside Corner



DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6053	10'-2"	9"	7.45#	✓	✓	✓	✓
T-6054	20'-2"	9"	14.77#	✓	✓	✓	✓

## ShadowRib™ Rake Trim




## Note:

- Use with "PBR" Panel roofs

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6111	10'-2"	22"	18.20#	✓	✓	✓	✓
T-6112	20'-2"	22"	36.10#	✓	✓	✓	✓

## ShadowRib™ Rake Trim




## Note:

- Use with Ultra-Dek®, Double-Lok®, BattenLok® and SuperLok® roofs

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6101	10'-2"	21"	17.37#	✓	✓	✓	✓
T-6102	20'-2"	21"	34.46#	✓	✓	✓	✓


## ShadowRib™ Zee Cap



DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6133	10'-2"	5 3/8"	4.45#	✓	✓	✓	✓
T-6134	20'-2"	5 3/8"	8.82#	✓	✓	✓	✓




## ShadowRib™ Furring Zee




DESCRIPTION					PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6131	1 1/2"	10'-2"	3 1/4"	2.69#	✓	✓	✓	✓
T-6132	3"	10'-2"	4 3/4"	3.93#	✓	✓	✓	✓

## ShadowRib™ Panel Cap




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6061	10'-2"	7⅞"	5.89#	✓	✓	✓	✓
T-6062	20'-2"	7⅞"	11.69#	✓	✓	✓	✓

## ShadowRib™ Cap/Jamb Trim




DESCRIPTION					PRICED PER EACH			
PART #	DIM "A"	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6071	3 1/8"	10'-2"	8 1/8"	6.72#	✓	✓	✓	✓
T-6072	3 1/8"	20'-2"	8 1/8"	13.33#	✓	✓	✓	✓
T-6073	1 1/2"	10'-2"	6 1/2"	5.38#	✓	✓	✓	✓
T-6074	1 1/2"	20'-2"	6 1/2"	10.67#	✓	✓	✓	✓

## NuWall® New Construction Base Trim




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6210	10'-2"	6 7/8"	5.69#	✓	✓	✓	✓
T-6212	20'-2"	6 7/8"	11.28#	✓	✓	✓	✓

## NuWall® Retrofit Base Trim



DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6214	10'-2"	7 1/4"	6.00#	✓	✓	✓	✓
T-6216	20'-2"	7 1/4"	11.90#	✓	✓	✓	✓

## NuWall® Wall Cap




## Note:

- Use with PBR Panel Walls only


DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6218	10'-2"	7 1/8"	5.89#	✓	✓	✓	✓
T-6220	20'-2"	7 1/8"	11.69#	✓	✓	✓	✓

## NuWall® New Construction Head/Jamb Trim




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6222	10'-6"	7 1/8"	6.09#	✓	✓	✓	✓
T-6224	14'-6"	7 1/8"	8.41#	✓	✓	✓	✓
T-6226	16'-6"	7 1/8"	9.57#	✓	✓	✓	✓

## NuWall® Retrofit Head/Jamb Trim




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6228	10'-6"	5 1/8"	4.38#	✓	✓	✓	✓
T-6230	14'-6"	5 1/8"	6.05#	✓	✓	✓	✓
T-6232	16'-6"	5 1/8"	6.88#	✓	✓	✓	✓

## NuWall® New Construction Head Trim




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6234	3'-6"	8 1/8"	2.31#	✓	✓	✓	✓
T-6236	10'-6"	8 1/8"	6.94#	✓	✓	✓	✓
T-6238	14'-6"	8 1/8"	9.59#	✓	✓	✓	✓
T-6240	16'-4"	8 1/8"	10.80#	✓	✓	✓	✓

### NuWall® Spacer Angle



DESCRIPTION				PRICED PER EACH
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®
T-6242	10'-2"	2 1/4"	1.86#	✓

### NuWall® Downspout with 45° Offset




**Note:**

- Use with PBR Panel Walls only


DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6250	8"	16 3/4"	1.40#	✓	✓	✓	✓

### NuWall® Spacer Zee



DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6246	10'-2"	2 1/2"	2.07#	✓	✓	✓	✓

### Designer™ Series Head/Jamb Cleat




**Note:**

- Use with T-6303 Two Piece Jamb Trim or T-6305 Two Piece Head Trim

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6301	10'-2"	6 1/4"	5.17#	✓	✓	✓	✓

### Designer™ Series Two Piece Jamb Trim




**Note:**

- Use with T-6301 Head/Jamb Cleat

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6303	10'-2"	6"	4.96#	✓	✓	✓	✓

### Designer™ Series Two Piece Head Trim




**Note:**

- Use with T-6301 Head/Jamb Cleat


DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6305	10'-2"	6 3/8"	5.27#	✓	✓	✓	✓

## Designer™ Series Base Trim




DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-6307	10'-2"	6 3/8"	5.27#	✓	✓	✓	✓

## Designer™ Series Support Zee



DESCRIPTION				PRICED PER EACH
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®
T-6309	10'-2"	3 3/8"	2.79#	✓

### FlexLoc® Panel Splice Trim




**Note:**

- 24 gauge material only
- Two week lead time required

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
HW-1200	10'-2"	10 5/8"	8.79#	✓	✓	✓	✓

### FlexLoc® Rake Termination Trim




**Note:**

- 24 gauge material only
- Two week lead time required

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
HW-1202	10'-2"	6 5/16"	5.38#	✓	✓	✓	✓

### FlexLoc® Curved Rake Trim




**Note:**

- 24 gauge material only
- Two week lead time required
- Curving of trim is to be outsourced by the customer

DESCRIPTION			PRICED PER EACH			
PART #	LENGTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
HW-1204	10'-2"	6.25#	Please Inquire	Please Inquire	Please Inquire	Please Inquire

### FlexLoc® Panel Starter Trim




**Note:**

- Not for use on curved roofs
- For curved applications, please inquire
- 24 gauge material only
- Two week lead time required

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
HW-1206	10'-2"	4 5/16"	3.57#	✓	✓	✓	✓

5/16

## FW-120 Panel Extended Eave Trim




## Note:

- Specify roof slope or angle indicated on drawing
- Specify open hem when using with T-5121 Continuous Cleat

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5401	10'-2"	12 1/8"	10.03#	✓	✓	✓	✓
T-5402	20'-2"	12 1/8"	19.90#	✓	✓	✓	✓

## FW-120 Panel Sill Trim




## Note:

- Specify open hem when using with T-5121 Continuous Cleat

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5405	10'-2"	9 1/4"	7.65#	✓	✓	✓	✓
T-5406	20'-2"	9 1/4"	15.18#	✓	✓	✓	✓


## FW-120 Panel Wall Splice Trim



DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5411	10'-2"	7 3/4"	6.41#	✓	✓	✓	✓
T-5412	20'-2"	7 3/4"	12.72#	✓	✓	✓	✓




## FW-120 Panel Base Trim without Sheeting Notch



DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5415	10'-2"	9 3/8"	7.76#	✓	✓	✓	✓
T-5416	20'-2"	9 3/8"	15.38#	✓	✓	✓	✓

## FW-120 Panel Masonry Inside Corner



DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT PER EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	SIGNATURE® 300 METALLIC
T-5421	10'-2"	7 5/8"	6.31#	✓	✓	✓	✓
T-5422	20'-2"	7 5/8"	12.51#	✓	✓	✓	✓



[mbci.com](http://mbci.com)

## Contact Us:

---

Houston, TX: 281.407.6915  
Adel, GA: 888.514.6062  
Atlanta, GA: 678.337.1619  
Atwater, CA: 209.445.3891

Indianapolis, IN: 317.364.4329  
Lubbock, TN: 806.224.2724  
Oklahoma City, OK: 405.492.6968  
Phoenix, AZ: 480.630.3022

Rome, NY: 315.371.4330  
Salt Lake City, UT: 385.715.2952  
San Antonio, TX: 210.888.9768