



Residential Pricing Guide





Panels

| | |
|-----------|---|
| 5V Crimp | 3 |
| Slimline® | 5 |


Accessories

| | |
|---------------------|----|
| Flat Sheets | 7 |
| V-Groove Soffit | 8 |
| Ridge Caps | 8 |
| Roof Jacks | 9 |
| Touch-up Paint | 10 |
| Insulation | 10 |
| Slimline® Rib Cover | 10 |
| Closure Strips | 11 |
| Tube Sealant | 11 |

Trim

| | |
|----------|----|
| All Trim | 12 |
|----------|----|


5V Crimp



NUMBER OF SQUARE FEET PER PANEL

| | 0" | 1" | 2" | 3" | 4" | 5" | 6" | 7" | 8" | 9" | 10" | 11" |
|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 FT. | 2.17 | 2.35 | 2.53 | 2.71 | 2.90 | 3.08 | 3.26 | 3.44 | 3.62 | 3.80 | 3.98 | 4.16 |
| 2 FT. | 4.34 | 4.52 | 4.70 | 4.88 | 5.06 | 5.25 | 5.43 | 5.61 | 5.79 | 5.97 | 6.15 | 6.33 |
| 3 FT. | 6.51 | 6.69 | 6.87 | 7.05 | 7.24 | 7.42 | 7.60 | 7.78 | 7.96 | 8.14 | 8.32 | 8.50 |
| 4 FT. | 8.68 | 8.86 | 9.04 | 9.22 | 9.40 | 9.59 | 9.77 | 9.95 | 10.13 | 10.31 | 10.49 | 10.67 |
| 5 FT. | 10.85 | 11.03 | 11.21 | 11.39 | 11.58 | 11.76 | 11.94 | 12.12 | 12.30 | 12.48 | 12.66 | 12.84 |
| 6 FT. | 13.02 | 13.20 | 13.38 | 13.56 | 13.75 | 13.93 | 14.11 | 14.29 | 14.47 | 14.65 | 14.83 | 15.01 |
| 7 FT. | 15.19 | 15.37 | 15.55 | 15.73 | 15.92 | 16.10 | 16.28 | 16.46 | 16.64 | 16.82 | 17.00 | 17.18 |
| 8 FT. | 17.36 | 17.54 | 17.72 | 17.90 | 18.09 | 18.27 | 18.45 | 18.63 | 18.81 | 18.99 | 19.17 | 19.35 |
| 9 FT. | 19.53 | 19.71 | 19.89 | 20.07 | 20.26 | 20.44 | 20.62 | 20.80 | 20.98 | 21.16 | 21.34 | 21.52 |
| 10 FT. | 21.70 | 21.88 | 22.06 | 22.24 | 22.43 | 22.61 | 22.79 | 22.97 | 23.15 | 23.33 | 23.51 | 23.69 |
| 11 FT. | 23.87 | 24.05 | 24.23 | 24.41 | 24.60 | 24.78 | 24.96 | 25.14 | 25.32 | 25.50 | 25.68 | 25.86 |
| 12 FT. | 26.04 | 26.22 | 26.40 | 26.58 | 26.77 | 26.95 | 27.13 | 27.31 | 27.49 | 27.67 | 27.85 | 28.03 |
| 13 FT. | 28.21 | 28.39 | 28.57 | 28.75 | 28.94 | 29.12 | 29.30 | 29.48 | 29.66 | 29.84 | 30.02 | 30.20 |
| 14 FT. | 30.38 | 30.56 | 30.74 | 30.92 | 31.11 | 31.29 | 31.47 | 31.65 | 31.83 | 32.01 | 32.19 | 32.37 |
| 15 FT. | 32.55 | 32.73 | 32.91 | 33.09 | 33.28 | 33.46 | 33.64 | 33.82 | 34.00 | 34.18 | 34.36 | 34.54 |
| 16 FT. | 34.72 | 34.90 | 35.08 | 35.26 | 35.45 | 35.63 | 35.81 | 35.99 | 36.17 | 36.35 | 36.53 | 36.71 |
| 17 FT. | 36.89 | 37.07 | 37.25 | 37.43 | 37.62 | 37.80 | 37.98 | 38.16 | 38.34 | 38.52 | 38.70 | 38.88 |
| 18 FT. | 39.06 | 39.24 | 39.42 | 39.60 | 39.79 | 39.97 | 40.15 | 40.33 | 40.51 | 40.69 | 40.87 | 41.05 |
| 19 FT. | 41.23 | 41.41 | 41.59 | 41.77 | 41.96 | 42.14 | 42.32 | 42.50 | 42.68 | 42.86 | 43.04 | 43.22 |
| 20 FT. | 43.40 | 43.58 | 43.76 | 43.94 | 44.13 | 44.31 | 44.49 | 44.67 | 44.85 | 45.03 | 45.21 | 45.39 |
| 21 FT. | 45.57 | 45.75 | 45.93 | 46.11 | 46.30 | 46.48 | 46.66 | 46.84 | 47.02 | 47.20 | 47.38 | 47.56 |
| 22 FT. | 47.74 | 47.92 | 48.10 | 48.28 | 48.47 | 48.65 | 48.83 | 49.01 | 49.19 | 49.37 | 49.55 | 49.73 |
| 23 FT. | 49.91 | 50.09 | 50.27 | 50.45 | 50.64 | 50.82 | 51.00 | 51.18 | 51.36 | 51.54 | 51.72 | 51.90 |
| 24 FT. | 52.08 | 52.26 | 52.44 | 52.62 | 52.81 | 52.99 | 53.17 | 53.35 | 53.53 | 53.71 | 53.89 | 54.07 |
| 25 FT. | 54.25 | 54.43 | 54.61 | 54.79 | 54.98 | 55.16 | 55.34 | 55.52 | 55.70 | 55.88 | 56.06 | 56.24 |
| 26 FT. | 56.42 | 56.60 | 56.78 | 56.96 | 57.15 | 57.33 | 57.51 | 57.69 | 57.87 | 58.05 | 58.23 | 58.41 |
| 27 FT. | 58.59 | 58.77 | 58.95 | 59.13 | 59.32 | 59.50 | 59.68 | 59.86 | 60.04 | 60.22 | 60.40 | 60.58 |
| 28 FT. | 60.76 | 60.94 | 61.12 | 61.30 | 61.49 | 61.67 | 61.85 | 62.03 | 62.21 | 62.39 | 62.57 | 62.75 |
| 29 FT. | 62.93 | 63.11 | 63.29 | 63.47 | 63.66 | 63.84 | 64.02 | 64.20 | 64.38 | 64.56 | 64.74 | 64.92 |
| 30 FT. | 65.10 | 65.28 | 65.46 | 65.64 | 65.82 | 66.01 | 66.19 | 66.37 | 66.55 | 66.73 | 66.91 | 67.09 |
| 31 FT. | 67.27 | 67.45 | 67.63 | 67.81 | 67.99 | 68.18 | 68.36 | 68.54 | 68.72 | 68.90 | 69.08 | 69.26 |
| 32 FT. | 69.44 | 69.62 | 69.80 | 69.98 | 70.16 | 70.35 | 70.53 | 70.71 | 70.89 | 71.07 | 71.25 | 71.43 |
| 33 FT. | 71.61 | 71.79 | 71.97 | 72.15 | 72.33 | 72.52 | 72.70 | 72.88 | 73.06 | 73.24 | 73.42 | 73.60 |
| 34 FT. | 73.78 | 73.96 | 74.14 | 74.32 | 74.51 | 74.69 | 74.87 | 75.05 | 75.23 | 75.41 | 75.59 | 75.77 |
| 35 FT. | 75.95 | 76.13 | 76.31 | 76.49 | 76.68 | 76.86 | 77.04 | 77.22 | 77.40 | 77.58 | 77.76 | 77.94 |
| 36 FT. | 78.12 | 78.30 | 78.48 | 78.66 | 78.85 | 79.03 | 79.21 | 79.39 | 79.57 | 79.75 | 79.93 | 80.11 |
| 37 FT. | 80.29 | 80.47 | 80.65 | 80.83 | 81.01 | 81.20 | 81.38 | 81.56 | 81.74 | 81.92 | 82.10 | 82.28 |
| 38 FT. | 82.46 | 82.64 | 82.82 | 83.00 | 83.18 | 83.37 | 83.55 | 83.73 | 83.91 | 84.09 | 84.27 | 84.45 |
| 39 FT. | 84.63 | 84.81 | 84.99 | 85.17 | 85.35 | 85.54 | 85.72 | 85.90 | 86.08 | 86.26 | 86.44 | 86.62 |
| 40 FT. | 86.80 | 86.98 | 87.16 | 87.34 | 87.53 | 87.71 | 87.89 | 88.07 | 88.25 | 88.43 | 88.61 | 88.79 |

5V Crimp



| DESCRIPTION | | | | | PRICED PER SQUARE |
|-------------|----------------|-------------|----------------|-------------------|-------------------|
| GAUGE | PANEL COVERAGE | YIELD (PSI) | WEIGHT PER SQ. | FINISH* | PRICE |
| 29 | 24" | 80,000 | 71# | Galvalume® Plus ⌘ | ✓ |
| 26 | 24" | 80,000 | 82# | Galvalume® Plus ⌘ | ✓ |
| 26 | 24" | 80,000 | 82# | Signature® 200 | Please Inquire |

* See MBCI Color Chart documents for available colors. Minimum quantities may be required.

⌘ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

Consult the 5V CRIMP DESIGN & INSTALLATION MANUAL for proper product application, design details and other product information.

Panel Pricing:

- All 5V Crimp panel pricing is based on a 26" sheet width (see chart on opposite page).
- Minimum quantities may be required for certain panel gauges and/or colors. Please Inquire.
- Panels 4'-0" in length or shorter will incur an additional charge, please inquire.

Packaging Cost:

- Maximum 3,000 pounds or 75 panels per bundle
- Standard packaging Add \$1.40 per linear foot
- Heavy Duty packaging Add \$17.05 per linear foot (\$200.00 min.)

Delivery:



Lead times and plant schedules vary and are determined and communicated upon receipt of your order acknowledgement. Please contact Customer Service for additional information.

Notes:

- For panel lengths over 25'-0"Please inquire
- Heavier gauges may minimize oil canning.**

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**



Slimline®



NUMBER OF SQUARE FEET PER PANEL

| | 0" | 1" | 2" | 3" | 4" | 5" | 6" | 7" | 8" | 9" | 10" | 11" |
|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 FT. | 1.33 | 1.44 | 1.56 | 1.67 | 1.78 | 1.89 | 2.00 | 2.11 | 2.23 | 2.34 | 2.45 | 2.56 |
| 2 FT. | 2.67 | 2.78 | 2.89 | 3.00 | 3.11 | 3.22 | 3.34 | 3.45 | 3.56 | 3.67 | 3.78 | 3.89 |
| 3 FT. | 4.00 | 4.11 | 4.22 | 4.33 | 4.45 | 4.56 | 4.67 | 4.78 | 4.89 | 5.00 | 5.11 | 5.23 |
| 4 FT. | 5.33 | 5.44 | 5.56 | 5.67 | 5.78 | 5.89 | 6.00 | 6.11 | 6.23 | 6.34 | 6.45 | 6.56 |
| 5 FT. | 6.67 | 6.78 | 6.89 | 7.00 | 7.11 | 7.22 | 7.34 | 7.45 | 7.56 | 7.67 | 7.78 | 7.89 |
| 6 FT. | 8.00 | 8.11 | 8.22 | 8.33 | 8.45 | 8.56 | 8.67 | 8.78 | 8.89 | 9.00 | 9.11 | 9.23 |
| 7 FT. | 9.33 | 9.44 | 9.56 | 9.67 | 9.78 | 9.89 | 10.00 | 10.11 | 10.23 | 10.34 | 10.45 | 10.56 |
| 8 FT. | 10.67 | 10.78 | 10.89 | 11.00 | 11.11 | 11.22 | 11.34 | 11.45 | 11.56 | 11.67 | 11.78 | 11.89 |
| 9 FT. | 12.00 | 12.11 | 12.22 | 12.33 | 12.45 | 12.56 | 12.67 | 12.78 | 12.89 | 13.00 | 13.11 | 13.23 |
| 10 FT. | 13.33 | 13.44 | 13.56 | 13.67 | 13.78 | 13.89 | 14.00 | 14.11 | 14.22 | 14.34 | 14.45 | 14.56 |
| 11 FT. | 14.67 | 14.78 | 14.89 | 15.00 | 15.11 | 15.22 | 15.34 | 15.45 | 15.56 | 15.67 | 15.78 | 15.89 |
| 12 FT. | 16.00 | 16.11 | 16.22 | 16.33 | 16.45 | 16.56 | 16.67 | 16.78 | 16.89 | 17.00 | 17.11 | 17.23 |
| 13 FT. | 17.33 | 17.44 | 17.56 | 17.67 | 17.78 | 17.89 | 18.00 | 18.11 | 18.22 | 18.34 | 18.45 | 18.56 |
| 14 FT. | 18.67 | 18.78 | 18.89 | 19.00 | 19.11 | 19.22 | 19.34 | 19.45 | 19.56 | 19.67 | 19.78 | 19.89 |
| 15 FT. | 20.00 | 20.11 | 20.22 | 20.33 | 20.45 | 20.56 | 20.67 | 20.78 | 20.89 | 21.00 | 21.11 | 21.23 |
| 16 FT. | 21.33 | 21.44 | 21.56 | 21.67 | 21.78 | 21.89 | 22.00 | 22.11 | 22.22 | 22.34 | 22.45 | 22.56 |
| 17 FT. | 22.67 | 22.78 | 22.89 | 23.00 | 23.11 | 23.22 | 23.34 | 23.45 | 23.56 | 23.67 | 23.78 | 23.89 |
| 18 FT. | 24.00 | 24.11 | 24.22 | 24.33 | 24.45 | 24.56 | 24.67 | 24.78 | 24.89 | 25.00 | 25.11 | 25.23 |
| 19 FT. | 25.33 | 25.44 | 25.56 | 25.67 | 25.78 | 25.89 | 26.00 | 26.11 | 26.22 | 26.34 | 26.45 | 26.56 |
| 20 FT. | 26.67 | 26.78 | 26.89 | 27.00 | 27.11 | 27.22 | 27.33 | 27.45 | 27.56 | 27.67 | 27.78 | 27.89 |
| 21 FT. | 28.00 | 28.11 | 28.22 | 28.33 | 28.45 | 28.56 | 28.67 | 28.78 | 28.89 | 29.00 | 29.11 | 29.23 |
| 22 FT. | 29.33 | 29.44 | 29.56 | 29.67 | 29.78 | 29.89 | 30.00 | 30.11 | 30.22 | 30.34 | 30.45 | 30.56 |
| 23 FT. | 30.67 | 30.78 | 30.89 | 31.00 | 31.11 | 31.22 | 31.33 | 31.45 | 31.56 | 31.67 | 31.78 | 31.89 |
| 24 FT. | 32.00 | 32.11 | 32.22 | 32.33 | 32.45 | 32.56 | 32.67 | 32.78 | 32.89 | 33.00 | 33.11 | 33.23 |
| 25 FT. | 33.33 | 33.44 | 33.56 | 33.67 | 33.78 | 33.89 | 34.00 | 34.11 | 34.22 | 34.34 | 34.45 | 34.56 |
| 26 FT. | 34.67 | 34.78 | 34.89 | 35.00 | 35.11 | 35.22 | 35.33 | 35.45 | 35.56 | 35.67 | 35.78 | 35.89 |
| 27 FT. | 36.00 | 36.11 | 36.22 | 36.33 | 36.45 | 36.56 | 36.67 | 36.78 | 36.89 | 37.00 | 37.11 | 37.23 |
| 28 FT. | 37.33 | 37.44 | 37.56 | 37.67 | 37.78 | 37.89 | 38.00 | 38.11 | 38.22 | 38.34 | 38.45 | 38.56 |
| 29 FT. | 38.67 | 38.78 | 38.89 | 39.00 | 39.11 | 39.22 | 39.33 | 39.45 | 39.56 | 39.67 | 39.78 | 39.89 |
| 30 FT. | 40.00 | 40.11 | 40.22 | 40.33 | 40.44 | 40.56 | 40.67 | 40.78 | 40.89 | 41.00 | 41.11 | 41.23 |
| 31 FT. | 41.33 | 41.44 | 41.56 | 41.67 | 41.78 | 41.89 | 42.00 | 42.11 | 42.22 | 42.34 | 42.45 | 42.56 |
| 32 FT. | 42.67 | 42.78 | 42.89 | 43.00 | 43.11 | 43.22 | 43.33 | 43.45 | 43.56 | 43.67 | 43.78 | 43.89 |
| 33 FT. | 44.00 | 44.11 | 44.22 | 44.33 | 44.44 | 44.56 | 44.67 | 44.78 | 44.89 | 45.00 | 45.11 | 45.23 |
| 34 FT. | 45.33 | 45.44 | 45.56 | 45.67 | 45.78 | 45.89 | 46.00 | 46.11 | 46.22 | 46.34 | 46.45 | 46.56 |
| 35 FT. | 46.67 | 46.78 | 46.89 | 47.00 | 47.11 | 47.22 | 47.33 | 47.45 | 47.56 | 47.67 | 47.78 | 47.89 |
| 36 FT. | 48.00 | 48.11 | 48.22 | 48.33 | 48.44 | 48.56 | 48.67 | 48.78 | 48.89 | 49.00 | 49.11 | 49.23 |
| 37 FT. | 49.33 | 49.44 | 49.56 | 49.67 | 49.78 | 49.89 | 50.00 | 50.11 | 50.22 | 50.34 | 50.45 | 50.56 |
| 38 FT. | 50.67 | 50.78 | 50.89 | 51.00 | 51.11 | 51.22 | 51.33 | 51.45 | 51.56 | 51.67 | 51.78 | 51.89 |
| 39 FT. | 52.00 | 52.11 | 52.22 | 52.33 | 52.44 | 52.56 | 52.67 | 52.78 | 52.89 | 53.00 | 53.11 | 53.23 |
| 40 FT. | 53.33 | 53.44 | 53.55 | 53.67 | 53.78 | 53.89 | 54.00 | 54.11 | 54.22 | 54.34 | 54.45 | 54.56 |

Slimline®



| DESCRIPTION | | | | | PRICED PER SQUARE |
|-------------|----------------|-------------|----------------|-------------------|-------------------|
| GAUGE | PANEL COVERAGE | YIELD (PSI) | WEIGHT PER SQ. | FINISH* | PRICE |
| 29 | 16" | 50,000 | 76# | Galvalume® Plus ⌘ | ✓ |
| 29 | 16" | 50,000 | 76# | Signature® 200 | ✓ |
| 26 | 16" | 50,000 | 99# | Galvalume® Plus ⌘ | ✓ |
| 26 | 16" | 50,000 | 99# | Signature® 200 | ✓ |

* See MBCI Color Chart documents for available colors. Minimum quantities may be required.

⌘ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

Panel Pricing:

1. All pricing is based on net coverage (see chart on opposite page).
2. Minimum quantities may be required for certain panel gauges and/or colors. Please Inquire.
3. Panels 4'-0" in length or shorter will incur an additional charge, please inquire.
4. Panels must be specified as: "striated" or "striated with minor ribs".

Packaging Costs:

1. Maximum 3,000 pounds or 75 panels per bundle
2. Standard packaging Add \$4.84 per linear foot
3. Heavy Duty packaging Add \$17.05 per linear foot (\$200.00 min.)


Delivery:

Lead times and plant schedules vary and are determined and communicated upon receipt of your order acknowledgement. Please contact Customer Service for additional information.

Notes:

1. If non-striated or without minor ribs are required, customer must specify in writing on order.
2. Slimline® panels cannot be endlapped.
3. For panel lengths over 40'-0"Please inquire
4. **Heavier gauges, striations or minor ribs may minimize oil canning.**

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**



Flat Sheet Selection Chart

| | DESCRIPTION | | |
|-----------------------------------|-------------|-------------------|---------------|
| Width | 40 - 7/8" | 42 - 3/4" | 48 - 3/8" |
| Gauge | 29 GA | 26 GA | 24 GA |
| Weight per LF | 2.00# | 3.32# | 3.75# |
| Signature® 200 (Polyester) | | | |
| Polar White | ● | ● | ● |
| Signature® 200 | | | |
| Ash Gray | ● | ● | ● |
| Bright White | ● | ● | ◇ |
| Burnished Slate | ● | ● | ● |
| Charcoal Gray | ● | ● | ● |
| Cobalt Blue | ● | ● | ● |
| Coffee Brown | ● | ● | ● |
| Deep Gray | ● | ● | ◇ |
| Desert Sand | ● | ● | ● |
| Evergreen | ● | ● | ◇ |
| Hawaiian Blue | ● | ● | ● |
| High Gloss White | ◇ | ● | ● |
| Ivy Green | ● | ● | ◇ |
| Light Stone | ● | ● | ● |
| Rustic Red | ● | ● | ● |
| Saddle Tan | ● | ● | ◇ |
| Scarlet Red | ● | ● | ● |
| True Black | ● | ● | ● |
| White | ● | ● | ◇ |
| Wine Red | ● | ◇ | ◇ |
| Signature® 300 | | | |
| Almond | - | ◇ | ● |
| Bone White | - | ◇ | ● |
| Brite Red | - | ◇ | ● |
| Brownstone | - | ◇ | ● |
| Classic Green | - | ◇ | ● |
| Colonial Red | - | ◇ | ● |
| Harbor Blue | - | ◇ | ● |
| Medium Bronze | - | ◇ | ● |
| Midnight Black | - | ◇ | ● |
| Midnight Bronze | - | ◇ | ● |
| Pacific Blue | - | ◇ | ● |
| Slate Gray | - | ◇ | ● |
| Snow White | - | ◇ | ● |
| Storm Gray | - | ◇ | ● |
| Tundra | - | ◇ | ● |
| Signature® 300 Metallic | | | |
| Copper Metallic | - | ◇ | ● |
| Unpainted | | | |
| Galvalume® Plus | 26, 29 ga | 22, 24, 26, 29 ga | 22, 24, 26 ga |

◇ Non-standard flat sheets require special pricing and extended lead times.

Notes:



- Add \$42.00 for flat sheet wood skid (maximum 3000# per skid).
- Add \$60.00 for LTL crating (maximum 3000# per skid).
- Panels ship with strippable film. Advise your Customer Service Representative if strippable film is not needed.
- Flat sheet lengths over 10'-6" are available upon request and require special skid pricing, please inquire. Flat sheet lengths: minimum 5'-0", maximum 14'-0".
- All material is Grade D (50 ksi minimum).



Subject to change without notice.
See MBCI.COM for current information.

EFFECTIVE JANUARY 2, 2026

V-Groove Soffit





Note:

- Requires 15 day lead time - Not available in 26 gauge.
- Field cut to required length - 3'-0" maximum.
- † See MBCI Color Chart for available colors.

| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|----------------|--------|-------|-------------|-----------------|----------------|
| PART # | MATERIAL | LENGTH | GIRTH | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| LG-140 | 29 Gauge Steel | 12'-6" | 13¾" | 8.83# | N/A | ✓ † |

Vented V-Groove Soffit




Note:

- Requires 15 day lead time - Not available in 26 gauge.
- Field cut to required length - 3'-0" maximum.
- † See MBCI Color Chart for available colors.

| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|----------------|--------|-------|-------------|-----------------|----------------|
| PART # | MATERIAL | LENGTH | GIRTH | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| LG-142 | 29 Gauge Steel | 12'-6" | 13¾" | 8.83# | N/A | ✓ † |

Ridge Cap - 5V Crimp




Note:

- Specify roof slope.
- † See MBCI Color Chart for available colors.


| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|-------------|--------|-------|-------------|-----------------|----------------|
| PART # | ROOF SLOPE | LENGTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| HW-1110 | 3:12 - 9:12 | 1'-2" | 29 | 1.80# | ✓ | N/A |
| HW-1110 | 3:12 - 9:12 | 1'-2" | 26 | 2.15# | ✓ | ✓ † |

Rubber Roof Jack



| DESCRIPTION | | | | | PRICED PER EACH |
|------------------|-------------------|-----------|-----------|-------------|-----------------|
| PART # | TEMPERATURE RANGE | PIPE SIZE | BASE DIM. | WEIGHT EACH | PRICE |
| HW-1000 | -65°F to +212°F | ¼" - 1½" | 4½" | .17# | ✓ |
| HW-1001 | -65°F to +212°F | 1½" - 4" | 8" | .50# | ✓ |
| HW-1002 | -65°F to +212°F | 4¼" - 6" | 11" | .95# | ✓ |
| HW-1003 | -65°F to +212°F | 6" - 11" | 14" | 1.55# | ✓ |
| HW-1004 | -65°F to +212°F | 7" - 13" | 17" | 2.56# | ✓ |
| HIGH TEMPERATURE | | | | | |
| HW-1046 | -100°F to +437°F | ¼" - 4" | 8" | .50# | ✓ |
| HW-1047 | -100°F to +437°F | 4¼" - 7" | 11" | .95# | ✓ |
| HW-1048 | -100°F to +437°F | 7" - 13" | 17" | 2.56# | ✓ |
| HW-1049 | -100°F to +437°F | 10" - 18" | 25" | 3.86# | ✓ |

Retrofit Rubber Roof Jack




| DESCRIPTION | | | | | PRICED PER EACH |
|------------------|-------------------|------------|----------------------------------|-------------|-----------------|
| PART # | TEMPERATURE RANGE | PIPE SIZE | BASE DIM. | WEIGHT EACH | PRICE |
| HW-1005 | -65°F to +212°F | ¼" - 4" | 8 ³ / ₁₆ " | .74# | ✓ |
| HW-1006 | -65°F to +212°F | 4" - 9¼" | 14¼" | 2.20# | ✓ |
| HW-1007 | -65°F to +212°F | 9¼" - 16¼" | 21½" | 3.78# | ✓ |
| HIGH TEMPERATURE | | | | | |
| HW-1060 | -100°F to +437°F | ½" - 4" | 8 ³ / ₁₆ " | .74# | ✓ |
| HW-1061 | -100°F to +437°F | 4" - 9¼" | 14¼" | 2.20# | ✓ |
| HW-1062 | -100°F to +437°F | 9¼" - 16¼" | 21½" | 3.78# | ✓ |

Touch-Up Paint



| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|----------------|---------|-----------------|-------------|-----------------|
| PART # | FINISH | SIZE | COLOR | WEIGHT EACH | PRICE |
| HW-304 | Signature® 200 | 2 ounce | See Color Chart | .50# | ✓ |

Reflective Insulation



Note:

- R-8 RFSK with VersiTab ¼" fiberglass with a silver (aluminum) scrim reinforced vapor retarder on one side and a foil film on the other side
- VersiTab has a 2" tab on one side and a 4" tab on the other side of the roll to allow the insulation side laps to be folded and stapled or overlapped


| DESCRIPTION | | | | | PRICED PER ROLL |
|-------------|------------|-------|---------|-------------|-----------------|
| PART # | TYPE | WIDTH | LENGTH | ROLL WEIGHT | PRICE |
| HW-3925 | SolarGuard | 4'-0" | 125'-0" | 31.00# | ✓ |
| HW-3926 | SolarGuard | 6'-0" | 125'-0" | 46.50# | ✓ |

Scrimless Aluminum Tape



| DESCRIPTION | | | | PRICED PER EACH |
|-------------|-------|---------|-------------|-----------------|
| PART # | WIDTH | LENGTH | ROLL WEIGHT | PRICE |
| HW-514 | 3" | 150'-0" | 1.50# | ✓ |

Slimline® Rib Cover




Note:

- Use with Slimline® panels at roof to fascia transitions.
- † All standard colors - See MBCI Color Chart.


| DESCRIPTION | | | | PRICED PER EACH | |
|-------------|--------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| CF-119 | 4½" | 29 | .12# | ✓ | ✓ † |
| CF-119 | 4½" | 26 | .14# | ✓ | ✓ † |

Closure Strip - 5V Crimp



| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|---------|----------|----------|-------------|-----------------|
| PART # | TYPE | ADHESIVE | SIZE | WEIGHT EACH | PRICE |
| HW-450 | Inside | No | 1" x 24" | .04# | ✓ |
| HW-452 | Outside | Yes | 1" x 24" | .05# | ✓ |

Tube Sealant




Note:
• 25' per tube at ¼" bead.

| DESCRIPTION | | | | | PRICED PER TUBE |
|-------------|--------------------|--------|-----------|-------------|-----------------|
| PART # | TYPE | COLOR | TUBE SIZE | TUBE WEIGHT | PRICE |
| HW-548 | Acrylic | White | 11 ounce | .75# | ✓ |
| HW-550 | Acrylic | Gray | 11 ounce | .75# | ✓ |
| HW-540 | Urethane | White | 11 ounce | .85# | ✓ |
| HW-541 | Urethane | Gray | 11 ounce | .85# | ✓ |
| HW-542 | Urethane | Bronze | 11 ounce | .85# | ✓ |
| HW-544 | Urethane | Almond | 11 ounce | .85# | ✓ |
| HW-549 | Non-Skinning Butyl | White | 10 ounce | 1.00# | ✓ |



Ridge/Hip Flash




Note:

- Specify roof slope or angle indicated on drawing.
- Specify use for Ridge or Hip.

| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|-------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| AG-202 | 10'-6" | 13" | 29 | 6.44# | ✓ | ✓ |
| AG-202 | 10'-2" | 13" | 26 | 8.37# | ✓ | ✓ |
| AG-203 | 20'-2" | 13" | 29 | 12.88# | ✓ | ✓ |
| AG-203 | 20'-2" | 13" | 26 | 16.74# | ✓ | ✓ |

Vented Ridge Flash




Note:

- Specify roof slope or angle indicated on drawing.

| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|-------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| AG-207 | 10'-6" | 21½" | 29 | 10.62# | ✓ | ✓ |
| AG-207 | 10'-2" | 21½" | 26 | 13.84# | ✓ | ✓ |
| AG-208 | 20'-2" | 21½" | 29 | 21.24# | ✓ | ✓ |
| AG-208 | 20'-2" | 21½" | 26 | 27.68# | ✓ | ✓ |

Peak Cap




Note:

- Specify roof slope or angle indicated on drawing.

| DESCRIPTION | | | | | | PRICED PER EACH | |
|-------------|--------|----------------------------------|-------|-------------|-----------------|-----------------|--|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 | |
| AG-233 | 10'-6" | 11 ⁵ / ₈ " | 29 | 5.76# | ✓ | ✓ | |
| AG-233 | 10'-2" | 11 ⁵ / ₈ " | 26 | 7.48# | ✓ | ✓ | |
| AG-234 | 20'-2" | 11 ⁵ / ₈ " | 29 | 11.52# | ✓ | ✓ | |
| AG-234 | 20'-2" | 11 ⁵ / ₈ " | 26 | 14.96# | ✓ | ✓ | |

Standard Valley




Note:

- Specify roof slope or angle indicated on drawing.

| DESCRIPTION | | | | | | PRICED PER EACH | |
|-------------|-----------------------------------|--------|----------------------------------|-------|-------------|-----------------|----------------|
| PART # | DIM "A" | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| AG-237 | 9 ¹ / ₄ " | 10'-6" | 20 ¹ / ₂ " | 29 | 10.88# | ✓ | ✓ |
| AG-237 | 9 ¹¹ / ₁₆ " | 10'-2" | 21 ³ / ₈ " | 26 | 14.16# | ✓ | ✓ |
| AG-238 | 9 ¹ / ₄ " | 20'-2" | 20 ¹ / ₂ " | 29 | 21.76# | ✓ | ✓ |
| AG-238 | 9 ¹¹ / ₁₆ " | 20'-2" | 21 ³ / ₈ " | 26 | 28.32# | ✓ | ✓ |

Extended Valley




Note:

- Specify roof slope or angle indicated on drawing.

| DESCRIPTION | | | | | | PRICED PER EACH | |
|-------------|-----------------------------------|--------|----------------------------------|-------|-------------|-----------------|----------------|
| PART # | DIM "A" | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| AG-239 | 19 ⁷ / ₁₆ " | 10'-6" | 40 ⁷ / ₈ " | 29 | 21.73# | ✓ | ✓ |
| AG-239 | 20 ³ / ₈ " | 10'-2" | 42 ³ / ₄ " | 26 | 28.29# | ✓ | ✓ |
| AG-240 | 19 ⁷ / ₁₆ " | 14'-0" | 40 ⁷ / ₈ " | 29 | 28.71# | ✓ | ✓ |
| AG-240 | 20 ³ / ₈ " | 14'-0" | 42 ³ / ₄ " | 26 | 38.82# | ✓ | ✓ |

Box Gutter




Note:

- Specify roof slope or angle indicated on drawing.
- Snow gutter available - Please inquire.

| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|----------------------------------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| AG-242 | 10'-6" | 17 ³ / ₈ " | 29 | 8.22# | ✓ | ✓ |
| AG-242 | 10'-2" | 17 ³ / ₈ " | 26 | 10.71# | ✓ | ✓ |
| AG-243 | 20'-2" | 17 ³ / ₈ " | 29 | 16.44# | ✓ | ✓ |
| AG-243 | 20'-2" | 17 ³ / ₈ " | 26 | 21.42# | ✓ | ✓ |

5K Gutter




Note:

- Requires 15 day lead time.

| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|----------------------------------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| LG-161 | 16'-0" | 12 ³ / ₈ " | 29 | 9.86# | N/A | ✓ |

Residential Gutter




Note:

- Specify roof slope or angle indicated on drawing.

| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|-----------------------------------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| FL-1000 | 10'-2" | 12 ⁹ / ₁₆ " | 29 | 6.41# | ✓ | ✓ |

Gutter Ends



Note:

- Specify left or right.
- LG-167A and LG-167B require 15 day lead time.

| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|------------|-------|-------------|-----------------|-----------------|--|
| PART # | TYPE | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 | |
| AG-245 | Box | 29 | .15# | ✓ | ✓ | |
| AG-245 | Box | 26 | .19# | ✓ | ✓ | |
| FL-1001 | Box | 29 | .08# | ✓ | ✓ | |
| FL-1001 | Box | 26 | .10# | ✓ | ✓ | |
| LG-167A | 5K (Left) | 29 | .10# | N/A | ✓ | |
| LG-167B | 5K (Right) | 29 | .10# | N/A | ✓ | |

Gutter Strap




Note:

- Use with AG-242 or AG-243 Box Gutter only.


| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|-------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| AG-244 | 8" | 2" | 29 | .08# | ✓ | ✓ |
| AG-244 | 8" | 2" | 26 | .09# | ✓ | ✓ |

Gutter Apron



| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|-------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| LG-149 | 10'-6" | 5" | 29 | 2.73# | ✓ | ✓ |
| LG-149 | 10'-6" | 5" | 26 | 3.40# | ✓ | ✓ |


3" Oval Outlet



Note:
• Requires 15 day lead time.


| DESCRIPTION | | PRICED PER EACH |
|-------------|-------------|-----------------|
| PART # | WEIGHT EACH | GALVANIZED |
| HW-1328 | .24# | ✓ |

Box Downspout - Straight




| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|----------------------------------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| FL-31 | 10'-2" | 16 ⁷ / ₈ " | 26 | 11.12# | ✓ | ✓ |
| FL-31B | 14'-0" | 16 ⁷ / ₈ " | 26 | 15.32# | ✓ | ✓ |

Box Downspout With 45° Elbow




| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|----------------------------------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| FL-31A | 10'-2" | 16 ⁷ / ₈ " | 26 | 11.12# | ✓ | ✓ |
| FL-31E | 14'-0" | 16 ⁷ / ₈ " | 26 | 15.32# | ✓ | ✓ |

Box Downspout Elbow



| DESCRIPTION | | | | | | PRICED PER EACH | |
|-------------|-------------|--------|----------------------------------|-------|-------|-----------------|----------------|
| PART # | ELBOW ANGLE | LENGTH | GIRTH | GIRTH | GAUGE | GALVALUME® PLUS | SIGNATURE® 200 |
| FL-32 | 45° | 7" | 16 ⁷ / ₈ " | 26 | 1.32# | ✓ | ✓ |
| FL-33 | 90° | 7" | 16 ⁷ / ₈ " | 26 | 1.28# | ✓ | ✓ |

Eave Trim




Note:

- Specify roof slope or angle indicated on drawing.


| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|---------------------------------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| AG-246 | 10'-6" | 7 ⁵ / ₈ " | 29 | 3.48# | ✓ | ✓ |
| AG-246 | 10'-2" | 7 ⁵ / ₈ " | 26 | 4.51# | ✓ | ✓ |
| AG-247 | 20'-2" | 7 ⁵ / ₈ " | 29 | 6.96# | ✓ | ✓ |
| AG-247 | 20'-2" | 7 ⁵ / ₈ " | 26 | 9.02# | ✓ | ✓ |

Fascia Angle




| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|-------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| AG-252 | 10'-6" | 8" | 29 | 3.98# | ✓ | ✓ |
| AG-252 | 10'-2" | 8" | 26 | 5.16# | ✓ | ✓ |
| AG-253 | 20'-2" | 8" | 29 | 7.96# | ✓ | ✓ |
| AG-253 | 20'-2" | 8" | 26 | 10.32# | ✓ | ✓ |

Soffit Angle



| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|-------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| AG-258 | 10'-6" | 2½" | 29 | 1.24# | ✓ | ✓ |
| AG-258 | 10'-2" | 2½" | 26 | 1.62# | ✓ | ✓ |

Sidewall Flashing




Note:

- Press-broken parts will have a 1/2" hem.

| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|-------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| LG-109 | 10'-6" | 8¼" | 29 | 4.50# | ✓ | ✓ |
| LG-109 | 10'-6" | 8¼" | 26 | 5.62# | ✓ | ✓ |

Endwall Flashing




Note:

- Specify roof slope or angle indicated on drawing.
- Press-broken parts will have a 1/2" hem.


| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|-------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| LG-107 | 10'-6" | 9¾" | 29 | 5.32# | ✓ | ✓ |

Concealed Rake




| DESCRIPTION | | | | | | PRICED PER EACH | |
|-------------|---------|--------|----------------------------------|-------|-------------|-----------------|----------------|
| PART # | DIM "A" | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| CF-301 | 3" | 10'-6" | 8 ¹ / ₈ " | 29 | 4.44# | ✓ | ✓ |
| CF-301A | 6" | 10'-6" | 11 ¹ / ₈ " | 29 | 6.07# | ✓ | ✓ |

5V Crimp Rake Trim




| DESCRIPTION | | | | | | PRICED PER EACH | | |
|-------------|-----------------------------------|------------|--------|-----------------------------------|-------|-----------------|-----------------|----------------|
| PART # | DIM "A" | ROOF SLOPE | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| FL-1020 | 2 ¹⁵ / ₁₆ " | 3-4:12 | 10'-2" | 8 ⁷ / ₁₆ " | 29 | 4.31# | ✓ | ✓ |
| FL-1020 | 2 ¹⁵ / ₁₆ " | 3-4:12 | 10'-2" | 8 ⁷ / ₁₆ " | 26 | 5.57# | ✓ | ✓ |
| FL-1021 | 2 ¹³ / ₁₆ " | 5-6:12 | 10'-2" | 8 ⁵ / ₁₆ " | 29 | 4.24# | ✓ | ✓ |
| FL-1021 | 2 ¹³ / ₁₆ " | 5-6:12 | 10'-2" | 8 ⁵ / ₁₆ " | 26 | 5.49# | ✓ | ✓ |
| FL-1022 | 2 ¹¹ / ₁₆ " | 7:12 | 10'-2" | 8 ³ / ₁₆ " | 29 | 4.18# | ✓ | ✓ |
| FL-1022 | 2 ¹¹ / ₁₆ " | 7:12 | 10'-2" | 8 ³ / ₁₆ " | 26 | 5.40# | ✓ | ✓ |
| FL-1023 | 2 ⁹ / ₁₆ " | 8-9:12 | 10'-2" | 8 ¹ / ₁₆ " | 29 | 4.12# | ✓ | ✓ |
| FL-1023 | 2 ⁹ / ₁₆ " | 8-9:12 | 10'-2" | 8 ¹ / ₁₆ " | 26 | 5.32# | ✓ | ✓ |
| FL-1024 | 2 ⁷ / ₁₆ " | 10:12 | 10'-2" | 7 ¹⁵ / ₁₆ " | 29 | 4.05# | ✓ | ✓ |
| FL-1024 | 2 ⁷ / ₁₆ " | 10:12 | 10'-2" | 7 ¹⁵ / ₁₆ " | 26 | 5.24# | ✓ | ✓ |

Slimline® Rake Trim




| DESCRIPTION | | | | | | | PRICED PER EACH | |
|-------------|-----------------------------------|------------|--------|-----------------------------------|-------|-------------|-----------------|----------------|
| PART # | DIM "A" | ROOF SLOPE | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| FL-1030 | 37/16" | 3-4:12 | 10'-2" | 8 ¹³ / ₁₆ " | 29 | 4.50# | ✓ | ✓ |
| FL-1030 | 37/16" | 3-4:12 | 10'-2" | 8 ¹³ / ₁₆ " | 26 | 5.82# | ✓ | ✓ |
| FL-1031 | 3 ⁵ / ₁₆ " | 5-6:12 | 10'-2" | 8 ¹¹ / ₁₆ " | 29 | 4.44# | ✓ | ✓ |
| FL-1031 | 3 ⁵ / ₁₆ " | 5-6:12 | 10'-2" | 8 ¹¹ / ₁₆ " | 26 | 5.73# | ✓ | ✓ |
| FL-1032 | 3 ³ / ₁₆ " | 7:12 | 10'-2" | 8 ⁹ / ₁₆ " | 29 | 4.37# | ✓ | ✓ |
| FL-1032 | 3 ³ / ₁₆ " | 7:12 | 10'-2" | 8 ⁹ / ₁₆ " | 26 | 5.65# | ✓ | ✓ |
| FL-1033 | 3 ¹ / ₁₆ " | 8-9:12 | 10'-2" | 8 ⁷ / ₁₆ " | 29 | 4.31# | ✓ | ✓ |
| FL-1033 | 3 ¹ / ₁₆ " | 8-9:12 | 10'-2" | 8 ⁷ / ₁₆ " | 26 | 5.57# | ✓ | ✓ |
| FL-1034 | 2 ¹⁵ / ₁₆ " | 10:12 | 10'-2" | 8 ⁵ / ₁₆ " | 29 | 4.24# | ✓ | ✓ |
| FL-1034 | 2 ¹⁵ / ₁₆ " | 10:12 | 10'-2" | 8 ⁵ / ₁₆ " | 26 | 5.49# | ✓ | ✓ |

Slimline® Rake Trim




| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|---------------------------------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| AG-454 | 10'-6" | 8 ⁵ / ₈ " | 29 | 4.31# | ✓ | ✓ |
| AG-456 | 20'-2" | 8 ⁵ / ₈ " | 29 | 8.62" | ✓ | ✓ |

5V Crimp Parapet Rake Trim




| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|----------------------------------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| FL-1060 | 10'-2" | 10 ⁷ / ₈ " | 29 | 5.55# | ✓ | ✓ |
| FL-1060 | 10'-2" | 10 ⁷ / ₈ " | 26 | 7.18# | ✓ | ✓ |

Rake Transition



| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|-------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| AG-261 | 10'-6" | 10" | 29 | 5.27# | ✓ | ✓ |
| AG-261 | 10'-2" | 10" | 26 | 6.45# | ✓ | ✓ |
| AG-262 | 20'-2" | 10" | 29 | 9.90# | ✓ | ✓ |
| AG-262 | 20'-2" | 10" | 26 | 12.90# | ✓ | ✓ |

High Side Transition




Note:

- Specify roof slope or angle indicated on drawing.

| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|---------------------------------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| AG-263 | 10'-6" | 8 ¹ / ₂ " | 29 | 4.21# | ✓ | ✓ |
| AG-263 | 10'-2" | 8 ¹ / ₂ " | 26 | 5.61# | ✓ | ✓ |
| AG-264 | 20'-2" | 8 ¹ / ₂ " | 29 | 8.42# | ✓ | ✓ |
| AG-264 | 20'-2" | 8 ¹ / ₂ " | 26 | 10.96# | ✓ | ✓ |

Continuous Cleat




Note:

- 24 gauge material - Assorted colors only.

| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|-------|-------|-------------|-----------------|--|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | ASSORTED COLORS | |
| FL-338 | 10'-2" | 3" | 24 | 2.45# | ✓ | |

Offset Cleat




Note:

- 24 gauge material - Assorted colors only.


| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|--------|-------|-------------|-----------------|--|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | ASSORTED COLORS | |
| FL-337 | 10'-2" | 3 1/2" | 24 | 2.45# | ✓ | |

Fascia/Soffit Trim




| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|---------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| AG-458 | 10'-6" | 8 5/16" | 29 | 4.15# | ✓ | ✓ |
| AG-458 | 10'-2" | 8 5/16" | 26 | 5.37# | ✓ | ✓ |
| AG-460 | 20'-2" | 8 5/16" | 29 | 8.30# | ✓ | ✓ |
| AG-460 | 20'-2" | 8 5/16" | 26 | 10.74# | ✓ | ✓ |

Fascia Trim



| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|--------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| AG-462 | 10'-6" | 7 3/8" | 29 | 3.61# | ✓ | ✓ |
| AG-462 | 10'-2" | 7 3/8" | 26 | 4.69# | ✓ | ✓ |
| AG-464 | 20'-2" | 7 3/8" | 29 | 7.22# | ✓ | ✓ |
| AG-464 | 20'-2" | 7 3/8" | 26 | 9.38# | ✓ | ✓ |


Panel Cap



Note:
• Use with Slimline® panels only.


| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|---------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| AG-450 | 10'-6" | 5 9/16" | 29 | 2.90# | ✓ | ✓ |
| AG-452 | 20'-2" | 5 9/16" | 29 | 5.80# | ✓ | ✓ |

Slimline® Z Closure




| DESCRIPTION | | | | | | PRICED PER EACH | |
|-------------|---------|--------|-------|-------|-------------|-----------------|----------------|
| PART # | DIM "A" | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| AG-470 | 1" | 10'-6" | 3" | 29 | 1.65# | ✓ | ✓ |

5V Crimp Z Closure



| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|-------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| AG-274 | 10'-2" | 2¾" | 26 | 1.78# | ✓ | ✓ |

Eave Trim with Drip Edge




Note:

- Specify roof slope or angle indicated on drawing.

| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|-------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| AG-279 | 10'-6" | 9⅝" | 29 | 4.77# | ✓ | ✓ |
| AG-279 | 10'-2" | 9⅝" | 26 | 6.18# | ✓ | ✓ |

Metal Drip Edge



Note:

- Specify roof slope or angle indicated on drawing.

| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------|-------|-------|-------------|-----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME® PLUS | SIGNATURE® 200 |
| AG-283 | 10'-6" | 4" | 29 | 2.02# | ✓ | ✓ |
| AG-283 | 10'-2" | 4" | 26 | 2.64# | ✓ | ✓ |

Trim Pricing:

1. All trim is 29 and 26 gauge unless noted. Please note that 29 gauge colors and 26 gauge colors are not the same. See MBCI Color Chart documents for available colors.
2. When ordering standard trim in custom lengths, use price per linear foot for standard trim plus a 10% surcharge.
3. Prices **do not** include standard packaging.
4. Strippable film available for trim upon request. Add \$0.10 per square foot.

Packaging Cost:

1. Trim with girth greater than 15" 20 pieces/carton
2. Trim with girth less than 15" 50 pieces/carton
3. Downspouts 12/carton
4. Standard Packaging: Cardboard with metal bands \$3.44/linear foot
5. LTL Packaging: Cardboard with wood blocks and metal bands \$4.63/linear foot
6. Plywood crating \$17.05/linear foot
7. Paper wrap only (For customer pick-up only) \$12.00
8. Minimum packaging charge \$30.00
9. Minimum crating charge \$75.00
10. Special Packaging Please Inquire

Delivery:

1. 29 gauge and 26 gauge stocked colors (see MBCI Color Chart) Approximately 10 Working Days
2. Other gauges, colors and metals Please Inquire

Price your own special trim:

1. Calculate the number of square feet of material (girth x length).
2. Multiply number of square feet by the appropriate square foot price (see chart below).
3. Add \$1.60 for each break and \$3.20 for each hem.
4. Add appropriate packaging costs.
5. Specify the side with the color or finished coat.
6. Send sketch of the special flashing to with order.
7. If more than one special trim is required, number them SF1, SF2, SF3, etc.

| DESCRIPTION | PRICED PER SQUARE FOOT | |
|-------------|------------------------|----------------|
| | GALVALUME® PLUS | SIGNATURE® 200 |
| GAUGE | | |
| 29 | ✓ | ✓ |
| 26 | ✓ | ✓ |



mbci.com